



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Number	ARP54827_P050-FITC
Product Page	www.avivasysbio.com/glud2-antibody-n-terminal-region-fitc-arp54827-p050-fitc.html
Name	GLUD2 Antibody - N-terminal region : FITC (ARP54827_P050-FITC)
Protein Size (# AA)	558 amino acids
Molecular Weight	61kDa
Conjugation	FITC: Fluorescein Isothiocyanate
NCBI Gene Id	2747
Host	Rabbit
Clonality	Polyclonal
Concentration	0.5 mg/ml
Gene Full Name	Glutamate dehydrogenase 2
Alias Symbols	GDH2, GLUDP1
Peptide Sequence	Synthetic peptide located within the following region: MYRYLAKALLPSRAGPAALGSAANHSAALLGRGRGQPAAASQPLALAAR
Product Format	Liquid. Purified antibody supplied in 1x PBS buffer.
Reference	Kanavouras,K., (2007) J. Neurosci. Res. 85 (15), 3398-3406
Description of Target	Glutamate dehydrogenase (EC 1.4.1.3) catalyzes the reversible oxidative deamination of glutamate to alpha-ketoglutarate using NAD and/or NADP as cofactors. Glutamate dehydrogenase (EC 1.4.1.3) catalyzes the reversible oxidative deamination of glutamate to alpha-ketoglutarate using NAD and/or NADP as cofactors. See also GLUD1 (MIM 138130).[supplied by OMIM]. Publication Note: This RefSeq record includes a subset of the publications that are available for this gene. Please see the Entrez Gene record to access additional publications. PRIMARYREFSEQ_SPAN PRIMARY_IDENTIFIER PRIMARY_SPAN COMP 1-2348 BC050732.2 1-2348
Protein Interactions	RNF2; UBC; ATF2; TOM1L1; GLUD2;
Reconstitution and Storage	All conjugated antibodies should be stored in light-protected vials or covered with a light protecting material (i.e. aluminum foil). Conjugated antibodies are stable for at least 12 months at 4C. If longer storage is desired (24 months), conjugates may be diluted with up to 50% glycerol and stored at -20C to -80C. Freezing and thawing conjugated antibodies will compromise enzyme activity as well as antibody binding.
Datasheets/Manuals	Printable datasheet for anti-GLUD2 (ARP54827_P050-FITC) antibody
Blocking Peptide	For anti-GLUD2 (ARP54827_P050-FITC) antibody is Catalog # AAP54827 (Previous Catalog # AAPP31631)
Immunogen	The immunogen is a synthetic peptide directed towards the N terminal region of human GLUD2
Uniprot ID	P49448
Protein Name	Glutamate dehydrogenase 2, mitochondrial
Protein Accession #	NP_036216
Purification	Affinity Purified
Nucleotide Accession #	NM_012084
Gene Symbol	GLUD2
Predicted Species Reactivity	Human
Application	WB
Predicted Homology Based on Immunogen Sequence	Human: 100%

Image 1



AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.

Optimal conditions of its use should be determined by end users.

AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com