

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



#### Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





# OPTC Antibody - C-terminal region : FITC (ARP55034\_P050-FITC)

Data Sheet

Product Number	ARP55034 P050-FITC
Product Page	www.avivasysbio.com/optc-antibody-c-terminal-region-fitc-arp55034-p050-fitc.html
Name	OPTC Antibody - C-terminal region : FITC (ARP55034 P050-FITC)
Protein Size (# AA)	332 amino acids
Molecular Weight	35kDa
Conjugation	FITC: Fluorescein Isothiocyanate
NCBI Gene Id	26254
Host	Rabbit
Clonality	Polyclonal
Concentration	0.5 mg/ml
	-
Gene Full Name	Opticin
Alias Symbols	OPT
Peptide Sequence	Synthetic peptide located within the following region:  LSDNLLDSIPGPLPLSLRSVHLQNNLIETMQRDVFCDPEEHKHTRRQLED
Product Format	Liquid. Purified antibody supplied in 1x PBS buffer.
Reference	Kumar, A., (er) Mol. Vis. 13, 667-676 (2007)
Description of Target	Opticin belongs to class III of the small leucine-rich repeat protein (SLRP) family. Members of this family are typically associated with the extracellular matrix. Opticin is present in significant quantities in the vitreous of the eye and also ocalizes to the cornea, iris, ciliary body, optic nerve, choroid, retina, and fetal liver. Opticin may noncovalently bind collagen fibrils and regulate fibril morphology, spacing, and organization. The opticin gene is mapped to a region of chromosome 1 that is associated with the inherited eye diseases age-related macular degeneration (AMD) and posterior column ataxia with retinosa pigmentosa (AXPC1). Opticin belongs to class III of the small leucine-rich repeat protein (SLRP) family. Members of this family are typically associated with the extracellular matrix. Opticin is present in significant quantities in the vitreous of the eye and also localizes to the cornea, iris, ciliary body, optic nerve, choroid, retina, and fetal liver. Opticin may noncovalently bind collagen fibrils and regulate fibril morphology, spacing, and organization. The opticin gene is mapped to a region of chromosome 1 that is associated with the inherited eye diseases age-related macular degeneration (AMD) and posterior column ataxia with retinosa pigmentosa (AXPC1).
Protein Interactions	OSGEP; OPTC;
Reconstitution and Storage	All conjugated antibodies should be stored in light-protected vials or covered with a light protecting material (i.e. aluminum foil). Conjugated antibodies are stable for at least 12 months at 4C. If longer storage is desired (24 months), conjugates may be diluted with up to 50% glycerol and stored at -20C to -80C. Freezing and thawing conjugated antibodies will compromise enzyme activity as well as antibody binding.
Datasheets/Manuals	Printable datasheet for anti-OPTC (ARP55034_P050-FITC) antibody
Blocking Peptide	For anti-OPTC (ARP55034_P050-FITC) antibody is <u>Catalog # AAP55034</u> (Previous Catalog # AAPP32295)
Immunogen	The immunogen is a synthetic peptide directed towards the C terminal region of human OPTC
Uniprot ID	Q9UBM4
Protein Name	Opticin
Protein Accession #	NP_055174
Purification	Affinity Purified
Nucleotide Accession#	NM_014359
Gene Symbol	<u>OPTC</u>
Predicted Species Reactivity	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Pig, Rabbit, Zebrafish

Application	WB
Predicted Homology Based on Immunogen Sequence	Cow: 77%; Dog. 100%; Guinea Pig. 85%; Horse: 92%; Human: 100%; Mouse: 85%; Pig. 100%; Rabbit: 92%; Rat: 100%; Zebrafish: 83%
Image 1	

AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use. Optimal conditions of its use should be determined by end users.

#### AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com