



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0


F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Number	ARP55381_P050-FITC
Product Page	www.avivasysbio.com/fance-antibody-middle-region-fitc-arp55381-p050-fitc.html
Name	FANCE Antibody - middle region : FITC (ARP55381_P050-FITC)
Protein Size (# AA)	536 amino acids
Molecular Weight	59kDa
Conjugation	FITC: Fluorescein Isothiocyanate
NCBI Gene Id	2178
Host	Rabbit
Clonality	Polyclonal
Concentration	0.5 mg/ml
Gene Full Name	Fanconi anemia, complementation group E
Alias Symbols	FAE, FACE
Peptide Sequence	Synthetic peptide located within the following region: SPQAPDPPEEEENRDSQOPGKRRKDSEEEAASPEGKRVPKRLRCWEEEDH
Product Format	Liquid. Purified antibody supplied in 1x PBS buffer.
Reference	Wang,X., (2007) Mol. Cell. Biol. 27 (8), 3098-3108
Description of Target	The Fanconi anemia complementation group (FANC) currently includes FANCA, FANCB, FANCC, FANCD1 (also called BRCA2), FANCD2, FANCE, FANCF, FANCG, FANCI, FANCI (also called BRIP1), FANCL, FANCM and FANCN (also called PALB2). The previously defined group FANCH is the same as FANCA. Fanconi anemia is a genetically heterogeneous recessive disorder characterized by cytogenetic instability, hypersensitivity to DNA crosslinking agents, increased chromosomal breakage, and defective DNA repair. The members of the Fanconi anemia complementation group do not share sequence similarity; they are related by their assembly into a common nuclear protein complex. The Fanconi anemia complementation group (FANC) currently includes FANCA, FANCB, FANCC, FANCD1 (also called BRCA2), FANCD2, FANCE, FANCF, FANCG, FANCI, FANCI (also called BRIP1), FANCL, FANCM and FANCN (also called PALB2). The previously defined group FANCH is the same as FANCA. Fanconi anemia is a genetically heterogeneous recessive disorder characterized by cytogenetic instability, hypersensitivity to DNA crosslinking agents, increased chromosomal breakage, and defective DNA repair. The members of the Fanconi anemia complementation group do not share sequence similarity; they are related by their assembly into a common nuclear protein complex. This gene encodes the protein for complementation group E. Publication Note: This RefSeq record includes a subset of the publications that are available for this gene. Please see the Entrez Gene record to access additional publications.
Protein Interactions	APITD1; STRA13; UBC; FANCG; FANCD2; FANCC; FANCA; FANCM; C1orf86; ELAVL1; Erh; FANCF; CHEK1; HES1; PCNA; BRCA2;
Reconstitution and Storage	All conjugated antibodies should be stored in light-protected vials or covered with a light protecting material (i.e. aluminum foil). Conjugated antibodies are stable for at least 12 months at 4C. If longer storage is desired (24 months), conjugates may be diluted with up to 50% glycerol and stored at -20C to -80C. Freezing and thawing conjugated antibodies will compromise enzyme activity as well as antibody binding.
Datasheets/Manuals	Printable datasheet for anti-FANCE (ARP55381_P050-FITC) antibody
Blocking Peptide	For anti-FANCE (ARP55381_P050-FITC) antibody is Catalog # AAP55381 (Previous Catalog # AAPP33253)
Immunogen	The immunogen is a synthetic peptide directed towards the middle region of human FANCE
Uniprot ID	Q9HB96
Protein Name	Fanconi anemia group E protein
Protein Accession #	NP_068741
Purification	Affinity Purified

Nucleotide Accession #	NM_021922
Gene Symbol	FANCE
Predicted Species Reactivity	Human, Cow, Dog, Horse, Pig, Rabbit
Application	WB
Predicted Homology Based on Immunogen Sequence	Cow: 86%; Dog: 79%; Horse: 85%; Human: 100%; Pig: 79%; Rabbit: 79%
Image 1	 A schematic diagram of a Y-shaped antibody molecule, consisting of two heavy chains and two light chains, represented by thick black lines.

AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.
Optimal conditions of its use should be determined by end users.

AVIVA SYSTEMS BIOLOGY
6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com