



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Number	ARP57281_P050-FITC
Product Page	www.avivasysbio.com/h2afy2-antibody-middle-region-fitc-arp57281-p050-fitc.html
Name	H2AFY2 Antibody - middle region : FITC (ARP57281_P050-FITC)
Protein Size (# AA)	372 amino acids
Molecular Weight	40kDa
Conjugation	FITC: Fluorescein Isothiocyanate
NCBI Gene Id	55506
Host	Rabbit
Clonality	Polyclonal
Concentration	0.5 mg/ml
Gene Full Name	H2A histone family, member Y2
Alias Symbols	H2AFY2
Peptide Sequence	Synthetic peptide located within the following region: PRIHPELLAKKRGTKGKSETILSPPEKRGKATSGKKGGKSKAAKPRT
Product Format	Liquid. Purified antibody supplied in 1x PBS buffer.
Description of Target	H2AFY2 is the variant histone H2A which replaces conventional H2A in a subset of nucleosomes where it represses transcription. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling. H2AFY2 may be involved in stable X chromosome inactivation.
Protein Interactions	UBC; SUZ12; EED; WWP1; CBX5; DIDO1; SUMO1; HDGF; tat;
Reconstitution and Storage	All conjugated antibodies should be stored in light-protected vials or covered with a light protecting material (i.e. aluminum foil). Conjugated antibodies are stable for at least 12 months at 4C. If longer storage is desired (24 months), conjugates may be diluted with up to 50% glycerol and stored at -20C to -80C. Freezing and thawing conjugated antibodies will compromise enzyme activity as well as antibody binding.
Datasheets/Manuals	Printable datasheet for anti-H2AFY2 (ARP57281_P050-FITC) antibody
Blocking Peptide	For anti-H2AFY2 (ARP57281_P050-FITC) antibody is Catalog# AAP57281 (Previous Catalog# AAPP41042)
Immunogen	The immunogen is a synthetic peptide directed towards the middle region of human H2AFY2
Uniprot ID	Q9P0M6
Protein Name	Core histone macro-H2A.2
Protein Accession #	NP_061119
Purification	Affinity Purified
Nucleotide Accession #	NM_018649
Gene Symbol	H2AFY2
Predicted Species Reactivity	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit
Application	WB
Predicted Homology Based on Immunogen Sequence	Cow: 93%; Dog: 93%; Guinea Pig: 100%; Horse: 100%; Human: 100%; Mouse: 100%; Rabbit: 100%; Rat: 100%

Image 1



AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.

Optimal conditions of its use should be determined by end users.

AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com