



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Number	ARP57577_P050-FITC
Product Page	www.avivasysbio.com/fbxw4-antibody-n-terminal-region-fitc-arp57577-p050-fitc.html
Name	FBXW4 Antibody - N-terminal region : FITC (ARP57577_P050-FITC)
Protein Size (# AA)	325 amino acids
Molecular Weight	35kDa
Conjugation	FITC: Fluorescein Isothiocyanate
NCBI Gene Id	6468
Host	Rabbit
Clonality	Polyclonal
Concentration	0.5 mg/ml
Gene Full Name	F-box and WD repeat domain containing 4
Alias Symbols	DAC, FBW4, FBWD4, SHFM3, SHSF3
Peptide Sequence	Synthetic peptide located within the following region: RQMPWMQLEDDSLYISQANFILAYQFERPDGASLNRRPLGVFAGHDEDVCH
Product Format	Liquid. Purified antibody supplied in 1x PBS buffer.
Description of Target	This gene is a member of the F-box/WD-40 gene family, which recruit specific target proteins through their WD-40 protein-protein binding domains for ubiquitin mediated degradation. In mouse, a highly similar protein is thought to be responsible for maintaining the apical ectodermal ridge of developing limb buds; disruption of the mouse gene results in the absence of central digits, underdeveloped or absent metacarpal/metatarsal bones and syndactyly. This phenotype is remarkably similar to split hand-split foot malformation in humans, a clinically heterogeneous condition with a variety of modes of transmission. An autosomal recessive form has been mapped to the chromosomal region where this gene is located, and complex rearrangements involving duplications of this gene and others have been associated with the condition. A pseudogene of this locus has been mapped to one of the introns of the BCR gene on chromosome 22.
Reconstitution and Storage	All conjugated antibodies should be stored in light-protected vials or covered with a light protecting material (i.e. aluminum foil). Conjugated antibodies are stable for at least 12 months at 4C. If longer storage is desired (24 months), conjugates may be diluted with up to 50% glycerol and stored at -20C to -80C. Freezing and thawing conjugated antibodies will compromise enzyme activity as well as antibody binding.
Datasheets/Manuals	Printable datasheet for anti-FBXW4 (ARP57577_P050-FITC) antibody
Blocking Peptide	For anti-FBXW4 (ARP57577_P050-FITC) antibody is Catalog # AAP57577
Immunogen	The immunogen is a synthetic peptide directed towards the N-terminal region of human FBXW4
Uniprot ID	P57775
Protein Name	F-box/WD repeat-containing protein 4
Protein Accession #	NP_071322.1
Purification	Affinity Purified
Nucleotide Accession #	NM_022039.3
Gene Symbol	FBXW4
Predicted Species Reactivity	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit
Application	WB
Predicted Homology Based on Immunogen Sequence	Cow: 100%; Dog: 93%; Guinea Pig: 100%; Horse: 100%; Human: 100%; Mouse: 100%; Rabbit: 100%; Rat: 100%

Image 1



AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.

Optimal conditions of its use should be determined by end users.

AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com