



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Number	ARP57788_P050-HRP
Product Page	www.avivasysbio.com/pkm2-antibody-n-terminal-region-hrp-arp57788-p050-hrp.html
Name	PKM2 Antibody - N-terminal region : HRP (ARP57788_P050-HRP)
Protein Size (# AA)	531 amino acids
Molecular Weight	58kDa
Conjugation	HRP: Horseradish Peroxidase
NCBI Gene Id	5315
Host	Rabbit
Clonality	Polyclonal
Concentration	0.5 mg/ml
Gene Full Name	Pyruvate kinase, muscle
Alias Symbols	PK3, TCB, p58, OIP3, PKM2, CTHBP, THBP1, HEL-S-30
Peptide Sequence	Synthetic peptide located within the following region: MSKPHSEAGTAFIQTLQQLHAAMADTFLEHMCRLDIDSPITARNITGICT
Product Format	Liquid. Purified antibody is supplied in high phosphate PBS, 100 mM phosphate, 150 mM NaCl, pH 7.6.
Description of Target	This gene encodes a protein involved in glycolysis. The encoded protein is a pyruvate kinase that catalyzes the transfer of a phosphoryl group from phosphoenolpyruvate to ADP, generating ATP and pyruvate. This protein has been shown to interact with thyroid hormone and may mediate cellular metabolic effects induced by thyroid hormones. This protein has been found to bind Opa protein, a bacterial outer membrane protein involved in gonococcal adherence to and invasion of human cells, suggesting a role of this protein in bacterial pathogenesis. Three alternatively spliced transcript variants encoding two distinct isoforms have been reported.
Protein Interactions	LNX1; NXT2; HUWE1; ISG15; UBC; POLE2; FUS; SUMO2; SUMO3; STAU1; MDM2; SUZ12; EZH2; IPO11; TWF2; PDLIM5; NPLOC4; PLIN3; UBA2; EIF4A3; ANP32A; SRP14; RAD23B; PPP1CA; PIN1; CTPS1; CBS; CAPZA2; ACAT2; NLK; FBXO6; YWHAQ; RAF1; IGSF8; HDAC6; MAPK7; NPM1; CDK2;
Reconstitution and Storage	All conjugated antibodies should be stored in light-protected vials or covered with a light protecting material (i.e. aluminum foil). Conjugated antibodies are stable for at least 12 months at 4C. If longer storage is desired (24 months), conjugates may be diluted with up to 50% glycerol and stored at -20C to -80C. Freezing and thawing conjugated antibodies will compromise enzyme activity as well as antibody binding.
Datasheets/Manuals	Printable datasheet for anti-PKM (ARP57788_P050-HRP) antibody
Blocking Peptide	For anti-PKM (ARP57788_P050-HRP) antibody is Catalog # AAP57788 (Previous Catalog # AAPP45012)
Immunogen	The immunogen is a synthetic peptide directed towards the N terminal region of human PKM2
Uniprot ID	P14618
Protein Name	Pyruvate kinase isozymes M1/M2
Protein Accession #	NP_002645
Purification	Affinity Purified
Nucleotide Accession #	NM_002654
Gene Symbol	PKM
Predicted Species Reactivity	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit
Application	WB, IHC
Predicted Homology Based on Immunogen Sequence	Cow: 86%; Dog: 86%; Guinea Pig: 93%; Horse: 93%; Human: 100%; Mouse: 100%; Rabbit: 86%; Rat: 93%

Image 1



AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.

Optimal conditions of its use should be determined by end users.

AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com