

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





CASP1 Antibody - middle region : Biotin (ARP58983_P050-Biotin)

Data Sheet

| Product Number | ARP58983 P050-Biotin |
|---------------------------------|---|
| Product Page | www.avivasysbio.com/casp1-antibody-middle-region-biotin-arp58983-p050-biotin.html |
| Name | CASP1 Antibody - middle region : Biotin (ARP58983 P050-Biotin) |
| Protein Size (# AA) | 383 amino acids |
| Molecular Weight | 10kDa |
| Conjugation | Biotin |
| NCBI Gene Id | 834 |
| Host | Rabbit |
| Clonality | Polyclonal |
| Concentration | 0.5 mg/ml |
| Gene Full Name | Caspase 1, apoptosis-related cysteine peptidase |
| Alias Symbols | ICE, P45, IL1BC |
| Peptide Sequence | Synthetic peptide located within the following region: LQTRVLNKEEMEKVKRENATVMDKTRALIDSVIPKGAQACQICITYICEE |
| Product Format | Liquid. Purified antibody supplied in 1x PBS buffer. |
| Description of Target | This gene encodes a protein which is a member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce 2 subunits, large and small, that dimerize to form the active enzyme. This gene was identified by its ability to proteolytically cleave and activate the inactive precursor of interleukin-1, a cytokine involved in the processes such as inflammation, septic shock, and wound healing. This gene has been shown to induce cell apoptosis and may function in various developmental stages. Studies of a similar gene in mouse suggest a role in the pathogenesis of Huntington disease. Alternative splicing of this gene results in five transcript variants encoding distinct isoforms. |
| Protein Interactions | ced-3; ced-4; VAC14; BCL2L1; UBC; XK; PLA2G4B; IL33; IL1B; PARP1; BIRC3; TRAF2; CEBPB; TIRAP; CARD17; CARD16; CARD8; PLA2G4A; CDK11B; NLRP1; ATN1; ATXN3; PYCARD; NLRC4; NOD1; CASP14; RIPK2; PAK1; PARK2; NEDD4; BID; IL18; PSEN2; NFE2L2; AR; BCAP31; MAPT; L |
| Reconstitution and Storage | All conjugated antibodies should be stored in light-protected vials or covered with a light protecting material (i.e. aluminum foil). Conjugated antibodies are stable for at least 12 months at 4C. If longer storage is desired (24 months), conjugates may be diluted with up to 50% glycerol and stored at -20C to -80C. Freezing and thawing conjugated antibodies will compromise enzyme activity as well as antibody binding. |
| Datasheets/Manuals | Printable datasheet for anti-CASP1 (ARP58983_P050-Biotin) antibody |
| Blocking Peptide | For anti-CASP1 (ARP58983_P050-Biotin) antibody is <u>Catalog # AAP58983</u> (Previous Catalog # AAPP44950) |
| Immunogen | The immunogen is a synthetic peptide directed towards the middle region of human CASP1 |
| Uniprot ID | <u>P29466</u> |
| Protein Name | Caspase-1 |
| Sample Type Confirmation | CASP1 is strongly supported by BioGPS gene expression data to be expressed in 721_B |
| Protein Accession # | <u>NP_001214</u> |
| Purification | Affinity Purified |
| Nucleotide Accession # | NM_001223 |
| Gene Symbol | CASP1 |
| Predicted Species Reactivity | Human, Horse, Rabbit, Yeast |

| Application | WB |
|--|---|
| Predicted Homology Based on Immunogen Sequence | Horse: 79%; Human: 100%; Rabbit: 79%; Yeast: 100% |
| Image 1 | |

AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use. Optimal conditions of its use should be determined by end users.

AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com