



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Goat Anti-Bovine IgG (H&L) Polyclonal Antibody - HRP Conjugated (OARA04905)

Data Sheet

Product Number	OARA04905
Product Page	www.avivasysbio.com/igg-antibody-oara04905.html
Name	Goat Anti-Bovine IgG (H&L) Polyclonal Antibody - HRP Conjugated (OARA04905)
Molecular Weight	40000
Conjugation	HRP
Host	Goat
Clonality	Polyclonal
Concentration	0.8 mg/ml
Alias Symbols	HRP
Product Format	Lyophilized
Reconstitution and Storage	2°C to 8°C -20°C or -80°C
Datasheets/Manuals	Printable datasheet for Goat Anti-Bovine IgG (H&L) Polyclonal Antibody - HRP Conjugated (OARA04905)
Additional Information	Buffer: 0.01 M Sodium Phosphate, 0.25 M Sodium Chloride, pH 7.6 Color: Substrate dependent Conjugation Reference: Modified from Farr & Nakane, J. Immunol. Methods 47; 129-144. 1981.
Additional Information	Label: Peroxidase (Horseradish) Preservative: None (Do NOT add sodium azide!) Stabilizer: 15 mg/ml Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
Application Info	ELISA: 1:10,000 - 1:200,000 WB: 1:5,000 - 1:100,000 IHC: 1:500 - 1:5,000
Immunogen	Bovine IgG whole molecule
Predicted Species Reactivity	Bovine
Application	ELISA, IHC, WB
Image 1	

AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.
Optimal conditions of its use should be determined by end users.