



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien


T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Number	OASB01428
Product Page	www.avivasysbio.com/sheep-igg-antibody-oasb01428.html
Name	Sheep IgG Antibody (OASB01428)
Isotype	IgG
Conjugation	Unconjugated
Host	Sheep
Clonality	Polyclonal
Concentration	5 mg/mL
Gene Full Name	Ig gamma-1 chain C region
Reconstitution and Storage	Store at 2-8C
Storage	<ul style="list-style-type: none"> - The purified (UNLB) IgG is supplied as 5.0 mg of purified immunoglobulin in 1.0 mL of 100 mM borate buffered saline, pH 8.2. No preservatives or amine- containing buffer salts added. Store at 2- 8 C - The biotin (BIOT) conjugate is supplied as 1.0 mg in 2.0 mL PBS/NaN₃. Store at 2- 8 C - The R- phycoerythrin (R- PE) conjugate is supplied as 0.1 mg in 1.0 mL of PBS/NaN₃ and a stabilizing agent. Store at 2- 8 C. Do not freeze! - The products should be stored at 2- 8 C. Conjugated forms should not be frozen and should be protected from prolonged exposure to light. Each product is stable for the period shown on the label if
Other Applications Data	Since applications vary, each investigator should determine the optimum working dilutions of the product that is appropriate for their specific needs.
Datasheets/Manuals	Printable datasheet for Sheep IgG Antibody (OASB01428)
Application Info	Flow cytometry, Enzyme-Linked-Immunosorbent-Assay (ELISA)
Warning	Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide- containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Dilution	Flow Cytometry: Purified IgG Biotin conjugate R-phycoerythrin conjugate ≤1 ug/10 ⁶ cells ≤1 ug/10 ⁶ cells ≤0.1 ug/10 ⁶ cells
Characterization	To insure lot- to- lot consistency, each batch of product is tested to conform to characteristics of a standard reference reagent using immunofluorescence staining and analysis on a Becton Dickinson FACScan flow cytometer.
Application	FC, ICC
Image 1	

AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.
Optimal conditions of its use should be determined by end users.

AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com