

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





Goat Anti-Rabbit Ig Antibody (OASB01942)

Data Sheet

Product Number	OASB01942
Product Page	www.avivasysbio.com/rabbit-ig-human-ads-antibody-oasb01942.html
Name	Goat Anti-Rabbit Ig Antibody (OASB01942)
Isotype	IgG
Host	Goat
Clonality	Polyclonal
Concentration	1.0 mg/mL
Gene Full Name	B-cell antigen receptor complex-associated protein alpha chain
Reconstitution and Storage	Store at 2-8C
Storage	- The purified (UNLB) antibody is supplied as 1.0 mg purified immunoglobulin in 1.0 mL of 100 mM boratebuffered saline, pH 8.2. No preservatives or amine- containing buffer salts added. Store at 2- 8 C - The fluorescein (FITC), rhodamine (TRITC), and Texas Red (TXRD) conjugates are supplied as 1.0 mg in1.0 mL PBS/NaN3. Store at 2- 8 C - The alkaline phosphatase (AP) conjugate is supplied as 1.0 mL of stock solution in 50mM Tris/1mMMgCl2/50% Glycerol, pH 8.0, containing 0.1% NaN3 as preservative. Store at 2- 8 C or long- term at - 20 C - The horseradish peroxidase (HRP) conjugate is supplied as 1.0 mL of stock solution in 50% glycerol/50%PBS, pH 7.4. No preservative added. Store at 2- 8 C or long- term at - 20 C - The Beta- galactosidase (BGAL) conjugate is supplied as 1.0 mL of stock solution in 50% glycerol/50%PBS/NaN3 as preservative. Store at 2- 8 C or long- term at - 20 C - The biotin (BIOT) conjugate is supplied as 1.0 mg in 2.0 mL PBS/NaN3. Store at 2- 8 C - The R- phycoerythrin (R- PE) conjugate is supplied as 0.5 mg in 1.0 mL or 0.25 mg in 0.5 mL of PBS/NaN3 and a stabilizing agent. Store at 2- 8 C. Do not freeze! - Protect fluorochrome- conjugated forms from light. Reagents are stable for the period shown on the label ifstored as directed.
Other Applications Data	Since applications vary, you should determine the optimum working dilution of the product that is appropriate for your specific need.
Datasheets/Manuals	Printable datasheet for anti-CD79A (OASB01942) antibody
Specificity	Ig
Additional Information	Description: Pooled antisera from goats hyperimmunized with rabbit IgG; purified by affinity chromatography; reacts with the heavy and light chains of rabbit IgM and IgG; cross-adsorbed against human immunoglobulins and pooled sera for minimal reactivity
Application Info	Direct and indirect immunofluorescent staining, Enzyme-Linked-Immunosorbent-Assay (ELISA), Fluorescent-Linked-Immunosorbent-Assay (FLISA), Immunoblotting, Immunohistochemistry
Immunogen	Rabbit IgG
Warning	Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copiousamounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoicacid under acidic conditions. Dilute azide- containing compounds in running water before discarding to avoidaccumulation of potentially explosive deposits in lead or copper plumbing.

	Immunofluorescence:	
	FLISA:	
	ELISA:	
	FITC and BIOT conjugates	
	R-PE conjugate	
	TRITC and TXRD conjugates	
	AP conjugate	
	HRP conjugate	
Dilution	BGAL conjugate	
	BIOT conjugate	
	$\leq 1 \text{ ug/}10^6 \text{ cells}$	
	$\leq 0.1 \text{ ug/} 10^6 \text{ cells}$	
	1:100 1:400	
	12,000-14,000	
	14,000-1:8,000	
	1:500 -1:2,000	
	1:5,000-1:20,000	
Cross Absorption	Pooled human sera and purified human paraproteins.	
Cross Absorption	· · · · · ·	
Characterization	To ensure lot- to- lot consistency, each batch of product is tested by ELISA, FLISA, and/or flow cytometry	
	forconformance to characteristics of a standard reference reagent.	
Purification	Affinity chromatography on pooled rabbit IgM + IgG covalently linked to agarose.	
Tested Species	Rabbit	
Reactivity	INDUCTION OF THE PROPERTY OF T	
Application	FLISA, FC, IHC-F, IHC-P, ICC, WB, IP	
Image 1		
AVIVA SYSTEMS BIOLO	GY manufactures and sells quality antibody products covering genome wide proteins.	
m: 1 .: c p 1		
	Use Only. Not for diagnostic, human, or veterinary use.	
Optimal conditions of its use should be determined by end users.		

AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com