



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

<b>Product Number</b>	OORA01313
<b>Product Page</b>	<a href="http://www.avivasysbio.com/sterile-human-plasma-in-sodium-citrate-oora01313.html">www.avivasysbio.com/sterile-human-plasma-in-sodium-citrate-oora01313.html</a>
<b>Name</b>	STERILE Human PLASMA in Sodium Citrate (OORA01313)
<b>Conjugation</b>	Unconjugated
<b>Concentration</b>	85.0 mg/ml (by Refractometry)
<b>Product Format</b>	Liquid
<b>Reconstitution and Storage</b>	-20Â°C
<b>Datasheets/Manuals</b>	Printable datasheet for <a href="#">OORA01313</a>
<b>Additional Information</b>	<b>Buffer:</b> Sodium citrate solution
<b>Additional Information</b>	<b>Label:</b> Unconjugated <b>Preservative:</b> None <b>Stabilizer:</b> None <b>Sterilization:</b> This product was aseptically drawn into clean, pre-sterilized containers. The product was tested on trypticase soy agar for 24 hours, 48 hours and 72 hours and was found to be negative for bacteria. <b>Strain:</b> Healthy human adults
<b>Application Info</b>	pH: normalImmunoelectrophoresis: normalHemoglobin: normalIgG Concentration: normalImmunoelectrophoresis: normal
<b>Predicted Species Reactivity</b>	Human

AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.  
Optimal conditions of its use should be determined by end users.