



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

<b>Product Number</b>	OORA01603
<b>Product Page</b>	<a href="http://www.avivasysbio.com/swine-plasma-in-sodium-citrate-ora01603.html">www.avivasysbio.com/swine-plasma-in-sodium-citrate-ora01603.html</a>
<b>Name</b>	SWINE PLASMA in Sodium Citrate (OORA01603)
<b>Conjugation</b>	Unconjugated
<b>Product Format</b>	Liquid (sterile filtered)
<b>Reconstitution and Storage</b>	-20°C
<b>Datasheets/Manuals</b>	Printable datasheet for <a href="#">OORA01603</a>
<b>Additional Information</b>	<b>Buffer:</b> Sodium citrate solution
<b>Additional Information</b>	<p><b>Label:</b> Unconjugated  <b>Preservative:</b> None  <b>Stabilizer:</b> None  <b>Sterilization:</b> This product was aseptically filtered through a Millipore 0.22 micron filter into clean, pre-sterilized containers. The product was tested on trypticase soy agar for 24 hours, 48 hours and 72 hours and was found to be negative for bacteria.  <b>Strain:</b> Mixed</p>
<b>Application Info</b>	pH: normal Immunoelectrophoresis: normal Hemoglobin: normal IgG Concentration: normal Immunoelectrophoresis: normal
<b>Predicted Species Reactivity</b>	Porcine

AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.  
 Optimal conditions of its use should be determined by end users.