

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

Rabbit IaM Antibody

| Rabbit IgM Antibody | |
|--------------------------|---|
| Goat Polyclonal | Conjugate Biotin |
| Antigen Affinity Purifi | ed |
| Catalog No. A120- | KETHY! |
| Lot No. A120- | -110B-9 LABORATORIES, INC |
| APPLICATIONS | WB, IHC, ICC, ELISA |
| SPECIES REACTIVITY | Rabbit |
| AMOUNT | 1 ml |
| CONCENTRATION | 1 mg/ml |
| STORAGE/SHELF LIFE | 2 – 8° C / 1 year from date of receipt |
| PHYSICAL STATE | Liquid |
| BUFFER | Phosphate Buffered Saline (PBS) containing 0.2% BSA and 0.09% Sodium Azide |
| ISOTYPE | IgG |
| ORIGIN | USA |
| PRODUCTION PROCEDURES | Antiserum was solid phase adsorbed to ensure class specificity. The antibody was isolated by affinity chromatography using antigen coupled to agarose beads and conjugated to biotin. |
| | Antibody concentration was determined by extinction coefficient prior to conjugation: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG. Biotin/antibody protein ratio is 4:1. |
| | By immunoelectrophoresis and ELISA this antibody reacts specifically with rabbit IgM. This antibody may cross react with IgM from other species. Biotinylated antibody was demonstrated by reaction with avidin/peroxidase when coated on microtiter wells. Working dilutions should be determined by the investigator. |
| APPLICATIONS | Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use. |
| | Western Blot 1:10,000 – 1:200,000 |
| | Immunohistochemistry 1:250 – 1:2,500 |
| | Immunocytochemistry 1:100 – 1:500 |
| | ELISA 1:10,000 - 1:200,000 |
| APPLICATION NOTES | Not all listed applications have been specifically tested by our laboratory. |
| ADDITIONAL INFO | https://www.bethyl.com/product/A120–110B |
| | Use the link above to view SDS, a current list of citations, and other product specific information. |

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 12, 2020

Bethyl Laboratories, Inc. • 25043 West FM 1097 • Montgomery, TX 77356 • 800.338.9579 • 936.597.6111 • 866.597.6105 (FAX) • www.bethyl.com • technical@bethyl.com

2

Bethyl Laboratories, Inc. • 25043 West FM 1097 • Montgomery, TX 77356 • 800.338.9579 • 936.597.6111 • 866.597.6105 (FAX) • www.bethyl.com • technical@bethyl.com