



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

SA1 Antibody

Goat Polyclonal

Antigen Affinity Purified

Protein ID NP_005853.2

Catalog No. A300-157A-T


GeneID 10274

Lot No. A300-157A-T-3



APPLICATIONS	WB, IP, ICC						
SPECIES REACTIVITY	Human						
AMOUNT	20 µl (2 blots)						
CONCENTRATION	100 µg/ml						
STORAGE/SHELF LIFE	2 - 8° C / 1 year from date of receipt						
PHYSICAL STATE	Liquid						
BUFFER	Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide						
ISOTYPE	IgG						
ORIGIN	USA						
PRODUCTION PROCEDURES	<p>Antibody was affinity purified using an epitope specific to SA1 immobilized on solid support.</p> <p>The epitope recognized by A300-157A-T maps to a region between residues 1150 and 1200 of human Stromal Antigen 1 using the numbering given in entry NP_005853.2 (GeneID 10274).</p> <p>Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.</p>						
APPLICATIONS	<p>Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.</p> <table><tr><td>Western Blot</td><td>1:1000</td></tr><tr><td>Immunoprecipitation</td><td>The antibody contained within A300-157A-M has been qualified for use in immunoprecipitation; however, we recommend using the alternative formulation of this antibody found as product A300-157A.</td></tr><tr><td>Immunocytochemistry</td><td>1:50 - 1:200</td></tr></table>	Western Blot	1:1000	Immunoprecipitation	The antibody contained within A300-157A-M has been qualified for use in immunoprecipitation; however, we recommend using the alternative formulation of this antibody found as product A300-157A.	Immunocytochemistry	1:50 - 1:200
Western Blot	1:1000						
Immunoprecipitation	The antibody contained within A300-157A-M has been qualified for use in immunoprecipitation; however, we recommend using the alternative formulation of this antibody found as product A300-157A.						
Immunocytochemistry	1:50 - 1:200						
APPLICATION NOTES	Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.						
ADDITIONAL INFO	<p>https://www.bethyl.com/product/A300-157A-T</p> <p>Use the link above to view SDS, a current list of citations, and other product specific information.</p>						

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019



Detection of human SA1 by western blot. *Samples:* Whole cell lysate (50 μ g) from HeLa, 293T, and Jurkat cells prepared using NETN lysis buffer. *Antibody:* Affinity purified goat anti-SA1 antibody A300-157A-T (lot A300-157A-T-3) used for WB at 1:1000. *Detection:* Chemiluminescence with an exposure time of 30 seconds.