

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PHD3 Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_071356.1

Catalog No. A300-327A GenelD 112399

Lot No. A300-327A-3

APPLICATIONS WB

SPECIES REACTIVITY Human, Mouse

AMOUNT 100 μl

CONCENTRATION 1000 μg/ml

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to PHD3 immobilized on solid support.

The epitope recognized by A300-327A maps to a region between residue 50 and 100 of human

Prolyl Hydroxylase Domain-Containing Protein 3 using the numbering given in entry

NP_071356.1 (GeneID 112399).

Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm

of 1.4 equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:2,000 - 1:10,000

APPLICATION NOTES Western blot of lysates performed using standard western blot reagents and 4–20% SDS-PAGE.

ADDITIONAL INFO https://www.bethyl.com/product/A300-327A


Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush. PhD | Chief Scientific Officer

Date: June 21, 2019



PHD3 Antibody A300-327A



Detection of human and mouse PHD3 by western blot. Samples: Whole cell lysate (50 μ g) from HeLa, HEK293T, and mouse NIH 3T3 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-PHD3 antibody A300-327A (lot A300-327A-3) used for WB at 0.1 μ g/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.