

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH


Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

TRPM2 Antibody

Rabbit Polyclo		d	Protein ID	NP_003298.1	5	a for
Antigen Affinity Purified Catalog No. A300–414A–T			GenelD	7226	Ď	-51 V
Catalog No. Lot No.		414A-T-3	GeneiD	7220	E	SETHYL
LOUNO.	A300-4	414A-1-5			LA	BORATORIES, INC
APPLICATIONS		WB, IP, ICC				
SPECIES REACTIVITY		Human				
PRESUMED REACTIVITY		Based on 100% sequence identity, this antibody is predicted to react with Mouse				
AMOUNT		20 µl (2 blots)				
CONCENTRATION		100 µg/ml				
STORAGE/SHELF LIFE		2 - 8° C / 1 year from date of receipt				
PHYSICAL STATE		Liquid				
BUFFER		Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide				
ISOTYPE		IgG				
ORIGIN		USA				
PRODUCTION PROCEDURES		Antibody was affinity purified using an epitope specific to TRPM2 immobilized on solid support.				
FROCEDURES		The epitope recognized by A300-414A-T maps to a region between residue 650 and 700 of human Transient Receptor Potential Cation Channel, Subfamily M, Member 2 using the numbering given in entry NP_003298.1 (GeneID 7226).				
		Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.				
APPLICATIONS		Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.				
		Western Blot	1:1	000		
		Immunoprecipit	use	e antibody contained with e in immunoprecipitation ernative formulation of th	however, we recomm	end using the
		Immunocytoche	emistry 1:5	5		
APPLICATION N	IOTES	Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120–113P) and 4–8% SDS-PAGE (link to IP-western blot protocol in Additional Info section below).				
Western blot of lysates performed using standard western blo					tern blot reagents and	4-8% SDS-PAGE.
ADDITIONAL INFO https://www.bethyl.com/product/A300-414A-T						
		Use the link above to view SDS, a current list of citations, and other product specific information. IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB				
		ir-western blot	protocol: http	os://www.bethyl.com/con	tent/protocol_IP_WB	

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.



Detection of human TRPM2 by western blot. *Samples:* Jurkat Membrane Prep (50, 15, 5 µg). *Antibody:* Affinity purified rabbit anti-TRPM2 antibody A300-414A-T (lot A300-414A-T-3) used for WB at 1:1000. *Detection:* Chemiluminescence with an exposure time of 3 minutes.