

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



## Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



## p400 Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID AAK97789.1

Catalog No. A300-541A-T GeneID 57634

Lot No. A300-541A-T-2

APPLICATIONS WB, IP

AMOUNT Human, Mouse 20 µl (2 blots)

CONCENTRATION 400 µg/ml

**STORAGE/SHELF LIFE** 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

**BUFFER** Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to p400 immobilized on solid support.

The epitope recognized by A300-541A-T maps to a region between residues 3075 and the C-terminus (residue 3124) of human E1A binding protein p400 using the numbering given in entry

AAK97789.1 (GeneID 57634).

**APPLICATIONS** Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:1000

Immunoprecipitation The antibody contained within A300-541A-T has been qualified for

use in immunoprecipitation; however, we recommend using the alternative formulation of this antibody found as product A300–541A.

**APPLICATION NOTES** Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 3-8% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

Western blot of lysates performed using standard western blot reagents and 3-8% SDS-PAGE.

ADDITIONAL INFO https://www.bethyl.com/product/A300-541A-T

Use the link above to view SDS, a current list of citations, and other product specific information.


IP-western blot protocol: https://www.bethyl.com/content/protocol\_IP\_WB


This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019



p400 Antibody A300-541A-T





Detection of human p400 by western blot. Samples: Whole cell lysate (50 μg) from HeLa, K-562, and MCF-7 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-p400 antibody A300-541A-T (lot A300-541A-T-2) used for WB at 1:1000. Detection: Chemiluminescence with an exposure time of 30 seconds.

Detection of mouse p400 by western blot. Samples: Whole cell lysate (50 μg) from NIH 3T3 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-p400 antibody A300-541A-T (lot A300-541A-T-2) used for WB at 1:1000. Detection: Chemiluminescence with an exposure time of 30 seconds.