

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com


hnRNP-K Antibody

IIIINNI - K AIIIDOUY						
Rabbit Polyclonal Antigen Affinity Purified			Protein ID	NP_002131.2		
Catalog No. A300-674A-T		674A-T	GenelD	3190		
Lot No.	A300-	674A-T-1				BEINYL LABORATORIES, INC
APPLICATIONS		WB, IP, IHC				
SPECIES REACTIVITY		Human, Mouse				
PRESUMED REACTIVITY		Based on 100% sequence identity, this antibody is predicted to react with Rat, Bovine, Rabbit and Orangutan 20 µl (2 blots)				
CONCENTRATION		40 μg/ml				
STORAGE/SHELF LIFE		$2 - 8^{\circ} \text{ C} / 1$ year from date of receipt				
PHYSICAL STATE		Liquid				
BUFFER		Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide				
ISOTYPE		IgG				
ORIGIN		USA				
PRODUCTION PROCEDURES		Antibody was affinity purified using an epitope specific to hnRNP-K immobilized on solid support.				
APPLICATIONS		The epitope recognized by A300-674A-T maps to a region between residue 1 and 50 of human Heterogeneous Nuclear Ribonucleoprotein K using the numbering given in entries NP_002131.2 for hnRNP-K isoform a and NP_112552.1 for hnRNP-K isoform b (GeneID 3190).				
		Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.				
		Western Blot	1:1	000		
		lmmunoprecipita	use	e antibody contained wi e in immunoprecipitatio ernative formulation of t	n; however, we recomi	mend using the
		Immunohistoche		00 – 1:400. Epitope ret commended for FFPE tise		er pH 6.0 is
APPLICATION N	IOTES	Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120–113P) and 4–20% SDS–PAGE (link to IP-western blot protocol in Additional Info section below).				
ADDITIONAL INFO		Western blot of lysates performed using standard western blot reagents and 4–20% SDS-PAGE. https://www.bethyl.com/product/A300-674A-T Use the link above to view SDS, a current list of citations, and other product specific information. IP-western blot protocol https://www.bethyl.com/content/protocol_IP_WB				

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: October 29, 2019

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.

Ŷ



Detection of human and mouse hnRNP-K by western blot. *Samples:* Whole cell lysate from HeLa (5, 15 and 50 µg), HEK293T (T; 50 µg) and mouse NIH 3T3 (M; 50 µg) cells. *Antibodies:* Affinity purified rabbit anti-hnRNP-K antibody A300-674A-T (lot A300-674A-T-1) used for WB at 1:1000. *Detection:* Chemiluminescence with exposure time

of 10 seconds.

Bethyl Laboratories, Inc. • 25043 West FM 1097 • Montgomery, TX 77356 • 800.338.9579 • 936.597.6111 • 866.597.6105 (FAX) • www.bethyl.com • technical@bethyl.com