

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



Cul4a Antibody



Antigen Affinity Purified Protein ID NP_001008895.1

Catalog No. A300-739A-T GenelD 8451

Lot No. A300-739A-T-2

APPLICATIONS WB, IP, IHC

SPECIES REACTIVITY Human, Mouse

AMOUNT 20 µl (2 blots)

CONCENTRATION 40 μg/ml

STORAGE/SHELF LIFE 2 - 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION Antibody was affinity purified using an epitope specific to Cul4a immobilized on solid

PROCEDURES support.

The epitope recognized by A300-739A-T maps to a region between residue 700 and the C-

terminus (residue 759) of human Cullin 4A using the numbering given in entry

NP_001008895.1 (GeneID 8451).

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:1000

Immunoprecipitation The antibody contained within A300-739A-T has been qualified for

use in immunoprecipitation; however, we recommend using the alternative formulation of this antibody found as product A300-739A.

Immunohistochemistry 1:40 to 1:200. Epitope retrieval with citrate buffer pH6.0 is

recommended for FFPE tissue sections.

ADDITIONAL INFO https://www.bethyl.com/product/A300-739A-T

Use the link above to view SDS, a current list of citations, and other product specific information.


IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB


This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.

Michael Spencer, PhD

Date: September 1, 2021

Cul4a Antibody A300-739A-T





Detection of human Cul4A by western blot. Samples: Whole cell lysate (10 μg) from HeLa, HEK293T, Jurkat, MCF-7, and Hep-G2 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-Cul4A antibody (A300-739A-T lot 2) used for WB at 1:1000. Detection: Chemiluminescence with an exposure time of 30 seconds.

Detection of mouse Cul4A by western blot. Samples: Whole cell lysate (5 μ g) from NIH 3T3, CT26, CH27, BW5147.3, and TCMK-1 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-Cul4A antibody (A300-739A-T lot 2) used for WB at 1:1000. Detection: Chemiluminescence with an exposure time of 30 seconds.