

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

TCF12 Antibody

Rabbit Polyclo	nal				Contraction of the second	
Antigen Affinity Purified			Protein ID	NP_996919.1		
Catalog No. A300–755A–T		GenelD	6938			
Lot No.	A300-	755A-T-1			BETHYL LABORATORIES, INC	
APPLICATIONS		WB, IP				
SPECIES REACTIVITY		Human				
PRESUMED REACTIVITY		Based on 100% sequence identity, this antibody is predicted to react with Mouse and Rat				
AMOUNT		20 µl (2 blots)				
CONCENTRATION		100 μg/ml				
STORAGE/SHELF LIFE		2 - 8° C / 1 year from date of receipt				
PHYSICAL STATE		Liquid				
BUFFER		Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide				
ISOTYPE		lgG				
ORIGIN		USA				
PRODUCTION PROCEDURES		Antibody was affinity purified using an epitope specific to TCF12 immobilized on solid support.				
		The epitope recognized by A300-755A-T maps to a region between residue 50 and 100 of human Transcription Factor 12 using the numbering given in entry NP_996919.1 (GeneID 6938).				
APPLICATIONS		Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.				
		Western Blot	1:1	1000		
		Immunoprecipit	us	e antibody contained within A300–755A e in immunoprecipitation; however, we rernative formulation of this antibody for	recommend using the	
APPLICATION NOTES		Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120–113P) and 4–8% SDS–PAGE (link to IP–western blot protocol in Additional Info section below).				
		Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.				
ADDITIONAL INFO		https://www.bethyl.com/product/A300-755A-T				
		Use the link above to view SDS, a current list of citations, and other product specific information. IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB				

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all–inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all–inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.

2

кDа 460-	
268_ 238 ⁻	
171-	
117-	
71-	←TCF12
55-	
41-	
31-	
	50 15 5 HeLa

. .

Detection of human TCF12 by western blot. *Samples:* Whole cell lysate (5, 15, and 50 µg) from HeLa cells. *Antibody:* Affinity purified rabbit anti-TCF12 antibody A300-755A-T used at 1:1000. *Detection:* Chemiluminescence with an exposure time of 3 minutes.

Bethyl Laboratories, Inc. • 25043 West FM 1097 • Montgomery, TX 77356 • 800.338.9579 • 936.597.6111 • 866.597.6105 (FAX) • www.bethyl.com • technical@bethyl.com