

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com


HURP/DLG7 Antibody

Tioki / DEG/ / Altibody					
Rabbit Polyclonal Antigen Affinity Purified			Protein ID	NP_055565.2	
Catalog No. A300–851A–T		GenelD	9787		
Lot No. A300-851A-T-1			Gener	5101	BETHYL
					LABORATORIES, INC
APPLICATIONS		IP			
SPECIES REACTIVITY		Human			
AMOUNT		10 µl			
CONCENTRATION		1000 μg/ml			
STORAGE/SHELF LIFE		2 - 8° C / 1 year from date of receipt			
PHYSICAL STATE		Liquid			
BUFFER		Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide			
ISOTYPE		IgG			
ORIGIN		USA			
PRODUCTION PROCEDURES		Antibody was affinity purified using an epitope specific to HURP/DLG7 immobilized on solid support.			
		The epitope recognized by A300-851A-T maps to a region between residue 150 and 200 of Human Hepatoma Upregulated Protein/Discs, Large 7 using the numbering given in entry NP_055565.2 (GeneID 9787).			
		Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.			
APPLICATIONS		Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.			
		Western Blot		ot recommended. Use rabbit ar or A300-853A-T.	nti-HURP/DLG7 antibody A300-852A-
		Immunoprecipit	tation 2 -	- 5 µg/mg lysate	
APPLICATION NOTES		Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100-020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-8% SDS-PAGE (link to IP-western blot protocol in Additional Info section below).			
ADDITIONAL INFO		https://www.bethyl.com/product/A300-851A-T			
		Use the link above to view SDS, a current list of citations, and other product specific information. IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB			
		ir-western biot	protocol: ntt	JS.//www.bethyl.com/content	/ μιστοςοι_ικ_ψυΒ

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.

2



Detection of human HURP/DLG7 by western blot of immunoprecipitates. *Samples:* Whole cell lysate (1 mg for IP, 20% of IP loaded) from HeLa cells. *Antibody:* Affinity purified rabbit anti-HURP/DLG7 antibody BL3692 (Cat. No. A300-851A-T) used for IP at 3 µg/mg lysate. HURP/DLG7 was also immunoprecipitated by rabbit anti-HURP/DLG7 antibodies BL3693 (Cat. No. A300-852A) and BL3695 (Cat. No. A300-853A), which recognize other epitopes. For blotting immunoprecipitated HURP/DLG7, BL3693 (A) and BL3695 (B) were used at 1 µg/ml. *Detection:* Chemiluminescence with exposure times of 10 seconds (A and B).

Bethyl Laboratories, Inc. • 25043 West FM 1097 • Montgomery, TX 77356 • 800.338.9579 • 936.597.6111 • 866.597.6105 (FAX) • www.bethyl.com • technical@bethyl.com