

## Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com


## KIF20A/RAB6KIFL Antibody

			,		
Rabbit Polyclo					
Antigen Affinity Purified			Protein ID	NP_005724.1	
Catalog No. A300–878A		GenelD	10112	RETHVI	
Lot No. A300-8		878A-1			LABORATORIES, INC
APPLICATIONS		IP			
SPECIES REACTIVITY		Human			
AMOUNT		100 μΙ			
CONCENTRATION		1000 μg/ml			
STORAGE/SHELF LIFE		2 – 8° C / 1 year from date of receipt			
PHYSICAL STATE		Liquid			
BUFFER		Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide			
ISOTYPE		IgG			
ORIGIN		USA			
PRODUCTION PROCEDURES		Antibody was affinity purified using an epitope specific to KIF20A/RAB6KIFL immobilized on solid support.			
		The epitope recognized by A300-878A maps to a region between residue 50 and 100 of human Kinesin Family Member 20A (RAB6 Interacting, Kinesin-Like) using the numbering given in entry NP_005724.1 (GeneID 10112).			
		Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.			
APPLICATIONS		Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.			
		Western Blot		ot recommended. Use rabbit a 79A.	nti-KIF20A/RAB6KIFL antibody A300-
		Immunoprecipi	tation 2	– 5 µg/mg lysate	
APPLICATION NOTES		Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100-020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-8% SDS-PAGE (link to IP-western blot protocol in Additional Info section below).			
ADDITIONAL INFO		https://www.bethyl.com/product/A300–878A			
		Use the link above to view SDS, a current list of citations, and other product specific information.			
		IP-western blot	protocol: htt	ps://www.bethyl.com/content	/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.

2



Detection of human KIF20A/RAB6KIFL by western blot of immunoprecipitates. *Samples:* Whole cell lysate (1 mg for IP, 20% of IP loaded) from HeLa cells. *Antibodies:* Affinity purified rabbit anti-KIF20A/RAB6KIFL antibody BL3705 (Cat. No. A300-878A) used for IP at 3 µg/mg lysate. KIF20A/RAB6KIFL was also immunoprecipitated by rabbit anti-KIF20A/RAB6KIFL antibody BL3708 (Cat. No. A300-879A), which recognizes a downstream epitope. For blotting immunoprecipitated KIF20A/RAB6KIFL, BL3608 was used at 1 µg/ml. *Detection:* Chemiluminescence with an exposure time of 10 seconds.

Bethyl Laboratories, Inc. • 25043 West FM 1097 • Montgomery, TX 77356 • 800.338.9579 • 936.597.6111 • 866.597.6105 (FAX) • www.bethyl.com • technical@bethyl.com