

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



Timeless Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_003911.1

Catalog No. A300-961A-T GenelD 8914

Lot No. A300-961A-T-3

APPLICATIONS WB, IP, IHC

SPECIES REACTIVITY Human

ISOTYPE IgG

AMOUNT 20 μl (2 blots)

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to Timeless immobilized on solid support.

The epitope recognized by A300-961A-T maps to a region between residue 1170 and the C-terminus (residue 1208) of human Timeless using the numbering given in entry NP_003911.1

(GeneID 8914).

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:1000

Immunoprecipitation The antibody contained within A300–961A–T has been qualified for

use in immunoprecipitation; however, we recommend using the alternative formulation of this antibody found as product A300–961A.

Immunohistochemistry 1:100 – 1:500. Epitope retrieval with citrate buffer pH 6.0 is

recommended for FFPE tissue sections.

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100-020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-8% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.


ADDITIONAL INFO https://www.bethyl.com/product/A300-961A-T

Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.

Eric McIntush, PhD | Chief Scientific Officer Date: November 29, 2018



Detection of human and mouse Timeless by western blot. *Samples:* Whole cell lysate (15 μg) from HeLa, HEK293T, Jurkat, mouse TCMK-1, and mouse NIH 3T3 cells prepared using NETN lysis buffer. *Antibody:* Affinity purified rabbit anti-Timeless antibody A300-961A-T (lot A300-961A-T lot 3) used for WB at 1:1000. *Detection:* Chemiluminescence with an exposure time of 75 seconds.