

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

CTNND1 Antibody

Rabbit Polyclonal Antigen Affinity Purified		Protein ID	NP_001322.1		
Catalog No.	300-978A-T	GenelD	1500	DETLIVI	
Lot No.	A300-978A-T-1			LABORATORIES, INC	
APPLICATIONS	WB, IP, IH	C			
SPECIES REACTIVI	TY Human, M	Human, Mouse			
AMOUNT	20 µl (2 bl	20 µl (2 blots)			
CONCENTRATION	100 µg/m	100 µg/ml			
STORAGE/SHELF	.IFE 2 – 8° C /	2 – 8° C / 1 year from date of receipt			
PHYSICAL STATE	Liquid	Liquid			
BUFFER	Tris-buffe	Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide			
ISOTYPE	lgG	IgG			
ORIGIN	USA	USA			
PRODUCTION PROCEDURES	Antibody	Antibody was affinity purified using an epitope specific to CTNND1 immobilized on solid support.			
FROCEDORES	terminus (The epitope recognized by A300–978A–T maps to a region between residue 891 and the C– terminus (residue 941) of human catenin (cadherin–associated protein), delta 1 using the numbering given in entry NP_001322.1 (GeneID 1500).			
APPLICATIONS		Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.			
	Western E	lot 1:1	1000		
	Immunop	us	e in immunoprecipitation	in A300-978A-T has been qualified for however, we recommend using the is antibody found as product A300-978A.	
	Immunoh		100 – 1:500. Epitope retri commended for FFPE tissu	eval with Tris-EDTA pH 9.0 is e sections.	
APPLICATION NO	Goat anti-	Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120–113P) and 4–8% SDS–PAGE (link to IP-western blot protocol in Additional Info section below).			
		Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.			
ADDITIONAL INFO	Use the lir	https://www.bethyl.com/product/A300-978A-T Use the link above to view SDS, a current list of citations, and other product specific information. IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB			


This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

Bethyl Laboratories, Inc. • 25043 West FM 1097 • Montgomery, TX 77356 • 800.338.9579 • 936.597.6111 • 866.597.6105 (FAX) • www.bethyl.com • technical@bethyl.com

1

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.

2



Detection of human and mouse CTNND1 by western blot.

Samples: Whole cell lysate from HeLa (5, 15, and 50 μ g), HEK293T (T; 50 μ g) and mouse NIH 3T3 (M; 50 μ g) cells. Antibody: Affinity purified rabbit anti-CTNND1 antibody A300-978A-T used at 1:1000. Detection: Chemiluminescence with an exposure time of 30 seconds.

Bethyl Laboratories, Inc. • 25043 West FM 1097 • Montgomery, TX 77356 • 800.338.9579 • 936.597.6111 • 866.597.6105 (FAX) • www.bethyl.com • technical@bethyl.com