

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



TRIM33/TIF1 gamma Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_056990.3

Catalog No. A301-060A-T GeneID 51592

Lot No. A301-060A-T-1

APPLICATIONS WB, IP, IHC

SPECIES REACTIVITY Human, Mouse

AMOUNT 20 µl (2 blots)

CONCENTRATION 40 μg/ml

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION Antibody was affinity purified using an epitope specific to TRIM33/TIF1gamma immobilized on

PROCEDURES solid support.

The epitope recognized by A301-060A-T maps to a region between residue 1077 and the C-terminus (residue 1127) of human tripartite motif-containing 33 (transcriptional intermediary

factor 1 gamma) using the numbering given in entry NP_056990.3 (GeneID 51592).

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:1000

Immunoprecipitation The antibody contained within A301–060A–T has been qualified for

use in immunoprecipitation; however, we recommend using the alternative formulation of this antibody found as product A301-060A.

Immunohistochemistry 1:20 – 1:100. Epitope retrieval with citrate buffer pH 6.0 is

recommended for FFPE tissue sections.

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. \$100–020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-8% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.

ADDITIONAL INFO https://www.bethyl.com/product/A301-060A-T


Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush. PhD | Chief Scientific Officer

Date: June 21, 2019





Detection of human TRIM33/TIF1gamma by western blot. *Samples:* Whole cell lysate (5, 15, and 50 μg) from HeLa cells. *Antibody:* Affinity purified rabbit anti-TRIM33/TIF1gamma antibody A301-060A-T used at 1:1000. *Detection:* Chemiluminescence with an exposure time of 30 seconds.