

## Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH


Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

DDX51 Antibody						
Rabbit Polyclonal Antigen Affinity Purified Catalog No. A301–089A Lot No. A301–089A–1		Protein ID GeneID	NP_778236.1 317781		BETHYL LABORATORIES, INC	
APPLICATIONS		WB, IP				
SPECIES REACTIVITY		Human				
AMOUNT		100 µl				
CONCENTRATION		200 µg/ml				
STORAGE/SHELF LIFE		2 - 8° C / 1 year from date of receipt				
PHYSICAL STATE		Liquid				
BUFFER		Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide				
ISOTYPE		IgG				
ORIGIN		USA				
PRODUCTION PROCEDURES		Antibody was affinity purified using an epitope specific to DDX51 immobilized on solid support.				
		The epitope recognized by A301-089A maps to a region between residue 616 and 666 of human DEAD (Asp-Glu-Ala-Asp) box polypeptide 51 using the numbering given in entry NP_778236.1 (GeneID 317781).				
		Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.				
APPLICATIONS		Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.				
		Western Blot	1:2	2,000 - 1:10,000		
		Immunoprecip	itation 2 -	5 µg/mg lysate		
APPLICATION N	IOTES	Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120–113P) and 4–8% SDS-PAGE (link to IP-western blot protocol in Additional Info section below).				
		Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.				
ADDITIONAL INFO		https://www.bethyl.com/product/A301-089A				
		Use the link above to view SDS, a current list of citations, and other product specific information. IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB				

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.

2



Detection of human DDX51 by western blot and immunoprecipitation. *Samples:* Whole cell lysate (5, 15 and 50 µg for WB; 1 mg for IP, 20% of IP loaded) from HeLa cells. *Antibodies:* Affinity purified rabbit anti-DDX51 antibody A301-089A used for WB at 0.04 µg/ml (A) and 1 µg/ml (B) and used for IP at 3 µg/mg lysate. DDX51 was also immunoprecipitated by rabbit anti-DDX51 antibodies A301-088A and BL4604, which recognize upstream epitopes. *Detection:* Chemiluminescence with exposure times of 3 minutes (A and B).

Bethyl Laboratories, Inc. • 25043 West FM 1097 • Montgomery, TX 77356 • 800.338.9579 • 936.597.6111 • 866.597.6105 (FAX) • www.bethyl.com • technical@bethyl.com