

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com


NEK9 Antibody

/			() m	
Rabbit Polyclonal				
			J -3- V	
	GenelD	91754	BETHYL	
Lot No. A301-139A-T-1				
WB, IP				
SPECIES REACTIVITY Human, Mouse				
20 µl (2 blots)	20 µl (2 blots)			
40 µg/ml	40 μg/ml			
IFE 2 – 8°C / 1 ye	2 - 8° C / 1 year from date of receipt			
Liquid	Liquid			
Tris-buffered	Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide			
IgG	lgG			
USA	USA			
Antibody was	Antibody was affinity purified using an epitope specific to NEK9 immobilized on solid support.			
	The epitope recognized by A301–139A–T maps to a region between residue 929 and 979 of human NIMA related kinase 9 using the numbering given in entry NP_149107.3 (GeneID 91754).			
	Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.			
Western Blot	1:1	000		
Immunopreci	us	e in immunoprecipitation; howe	01–139A–T has been qualified for ever, we recommend using the ibody found as product A301–139A.	
Goat anti-Rab	Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120–113P) and 4–8% SDS–PAGE (link to IP–western blot protocol in Additional Info section below).			
Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.				
ADDITIONAL INFO https://www.bethyl.com/product/A301-139A-T				
	Use the link above to view SDS, a current list of citations, and other product specific information.			
IP-western blo	ot protocol: http://www.com/	os://www.bethyl.com/content/j	DLOTOCOITINTMR	
	Purified 301–139A–T 301–139A–T–1 WB, IP TY Human, Mous 20 µl (2 blots) 40 µg/ml IFE 2 – 8° C / 1 ye Liquid Tris-buffered IgG USA Antibody was The epitope re human NIMA for Centrifuge tuble experimentall Western Blot Immunopreci TES Western blot of Goat anti-Rab (link to IP-west Western blot of https://www.for Use the link and	Purified Protein ID 301–139A–T GeneID 301–139A–T–1 WB, IP TY Human, Mouse 20 µl (2 blots) 40 µg/ml IFE 2 – 8° C / 1 year from date or Liquid Tris-buffered Saline containi IgG USA Antibody was affinity purified The epitope recognized by A human NIMA related kinase S Centrifuge tube to remove prexperimentally by the investi Western Blot 1:1 Immunoprecipitation Th usa alt FES Western blot of immunoprecipitation Th USA Settern blot of lysates perfor https://www.bethyl.com/pro Use the link above to view SE	Purified Protein ID NP_149107.3 301-139A-T GeneID 91754 301-139A-T-1 WB, IP Y Human, Mouse 20 µl (2 blots) 40 µg/ml IFE 2 - 8° C / 1 year from date of receipt Liquid Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium IgG USA Antibody was affinity purified using an epitope specific to N The epitope recognized by A301-139A-T maps to a region human NIMA related kinase 9 using the numbering given in Centrifuge tube to remove product from lid. Optimal working experimentally by the investigator. Prepare working dilution Western Blot 1:1000 Immunoprecipitation The antibody contained within A3 use in immunoprecipitation; howe alternative formulation of this ant ES Western blot of immunoprecipitates performed using Norma Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120- (link to IP-western blot protocol in Additional Info section b Western blot of lysates performed using standard western b https://www.bethyl.com/product/A301-139A-T	

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. Shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.

2



Detection of human and mouse NEK9 by western blot.

Samples: Whole cell lysate from HeLa (5, 15, and 50 μ g), HEK293T (T; 50 μ g) and mouse NIH 3T3 (M; 50 μ g) cells. Antibody: Affinity purified rabbit anti-NEK9 antibody A301-139A-T used at 1:1000. Detection: Chemiluminescence with an exposure time of 10 seconds.

Bethyl Laboratories, Inc. • 25043 West FM 1097 • Montgomery, TX 77356 • 800.338.9579 • 936.597.6111 • 866.597.6105 (FAX) • www.bethyl.com • technical@bethyl.com