

## Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH


Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

## PCM1 Antibody **Rabbit Polyclonal** Antigen Affinity Purified NP 006188.2 Protein ID Catalog No. A301-150A GenelD 5108 Lot No. A301-150A-1 BOBAT APPLICATIONS WB. IP SPECIES REACTIVITY Human AMOUNT 100 ul CONCENTRATION 200 µg/ml STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt PHYSICAL STATE Liauid BUFFER Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide ISOTYPE IgG ORIGIN USA PRODUCTION Antibody was affinity purified using an epitope specific to PCM1 immobilized on solid support. PROCEDURES The epitope recognized by A301–150A maps to a region between residue 1972 and 2022 of human pericentriolar material 1 using the numbering given in entry NP\_006188.2 (GeneID 5108). Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG. APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use. Western Blot 1:2,000 - 1:10,000 Immunoprecipitation $2 - 5 \mu q/mq$ lysate **APPLICATION NOTES** Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. \$100-020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-8% SDS-PAGE (link to IP-western blot protocol in Additional Info section below).

Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.ADDITIONAL INFOhttps://www.bethyl.com/product/A301-150AUse the link above to view SDS, a current list of citations, and other product specific information.IP-western blot protocol: https://www.bethyl.com/content/protocol IP WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.



Detection of human PCM1 by western blot and immunoprecipitation. Samples: Whole cell lysate from HeLa (5, 15 and 50 µg for WB; 1 mg for IP, 20% of IP loaded) and HEK293T (T; 50 µg) cells. Antibodies: Affinity purified rabbit anti–PCM1 antibody A301–150A used for WB at 0.04 µg/ml (A) and 0.1 µg/ml (B) and used for IP at 3 µg/mg lysate. PCM1 was also immunoprecipitated by rabbit anti–PCM1 antibody A301–149A, which recognizes an upstream epitope. Detection: Chemiluminescence with exposure times of 30 seconds (A) and 10 seconds (B).