

# Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH


Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

## CDC23/APC8 Antibody

Rabbit Polyclonal Antigen Affinity Purified			otein ID	NP_004652.2	
Catalog No. Lot No.		181A–T Ge 181A–T–2	nelD	8697	LABORATORIES, INC
APPLICATIONS		WB, IP			
SPECIES REACTIVITY		Human, Mouse			
PRESUMED REACTIVITY		Based on 100% sequence identity, this antibody is predicted to react with Bovine			
AMOUNT		20 µl (2 blots)			
CONCENTRATION		100 µg/ml			
STORAGE/SHELF LIFE		2 – 8° C / 1 year from date of receipt			
PHYSICAL STATE		Liquid			
BUFFER		Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide			
ISOTYPE		IgG			
ORIGIN		USA			
PRODUCTION PROCEDURES		Antibody was affinity purified using an epitope specific to CDC23 immobilized on solid support.			
		The epitope recognized by A301–181A–T maps to a region between residue 125 and 175 of human cell division cycle 23 (anaphase–promoting complex subunit 8) using the numbering given in entry NP_004652.2 (GeneID 8697).			
APPLICATIONS		Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.			
		Western Blot	1:1	000	
		Immunoprecipitatic	use	e antibody contained within A301- e in immunoprecipitation; however, ernative formulation of this antibod	we recommend using the
APPLICATION NOTES		Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020), Goat anti–Rabbit Light Chain HRP Conjugate (Cat. No. A120–113P) and 4–8% SDS–PAGE (link to IP–western blot protocol in Additional Info section below).			
		Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.			
ADDITIONAL INFO		https://www.bethyl.com/product/A301–181A–T			
		Use the link above to view SDS, a current list of citations, and other product specific information. IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB			

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.



#### Detection of human and mouse CDC23/APC8 by western blot. *Samples:* Whole cell lysate (50 µg) from HeLa, HEK293T, Jurkat, and mouse NIH 3T3 cells prepared using NETN lysis buffer. *Antibody:* Affinity purified rabbit anti-CDC23/APC8 antibody A301-181A-T (lot A301-181A-T-2) used for WB at 1:1000. *Detection:* Chemiluminescence with an exposure time of 75 seconds.

Bethyl Laboratories, Inc. • 25043 West FM 1097 • Montgomery, TX 77356 • 800.338.9579 • 936.597.6111 • 866.597.6105 (FAX) • www.bethyl.com • technical@bethyl.com