

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



TRIM3/BERP Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP 006449.2

Catalog No. A301-209A-T GeneID 10612

Lot No. A301-209A-T-1

APPLICATIONS IΡ

SPECIES REACTIVITY Human

PRESUMED REACTIVITY Based on 100% sequence identity, this antibody is predicted to react with Mouse and Rat

AMOUNT 10 ul

CONCENTRATION 1000 ua/ml

STORAGE/SHELF LIFE 2 - 8° C / 1 year from date of receipt

PHYSICAL STATE Liauid

BUFFER Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG ORIGIN USA

PRODUCTION Antibody was affinity purified using an epitope specific to TRIM3/BERP immobilized on solid

PROCEDURES support.

> The epitope recognized by A301-209A-T maps to a region between residue 400 and 450 of human tripartite motif-containing 3 (brain expressed ring finger protein) using the numbering

given in entry NP 006449.2 (GeneID 10612).

Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm

of 1.4 equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot Not recommended. A301-209A-T has not performed satisfactorily

when used for WB of TRIM3/BERP in crude preparations (e.g. whole

cell lysate). This antibody can be used for WB of enriched (e.g.

immunoprecipitated) sources of TRIM3/BERP.

Immunoprecipitation 2 - 5 µg/mg lysate

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. \$100-020).

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-8% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).


ADDITIONAL INFO https://www.bethyl.com/product/A301-209A-T

Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019





Detection of human TRIM3/BERP by western blot of immunoprecipitates. Samples: Whole cell lysate (1 mg for IP, 20% of IP loaded) from HeLa cells. Antibody: Affinity purified rabbit anti-TRIM3/BERP antibody A301-209A-T used for western blot at 1 μg/ml and for IP at 3 μg/mg lysate. TRIM3/BERP was also immunoprecipitated by rabbit anti-TRIM3/BERP antibodies A301-207A and A301-208A, which recognize upstream epitopes. Detection: Chemiluminescence with an exposure time of 30 seconds.