

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH


Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

RCOR3 Antibody

	icibod,					
Rabbit Polyclonal						
Antigen Affinity Purified			Protein ID	NP_060724.1		
Catalog No. A301-273A-T		273A-T (GenelD	55758		RETHVI
Lot No.	A301-2	273A-T-1 Laboratories, inc				
APPLICATIONS		WB, IP, IHC, IHC-IF, ICC-IF				
SPECIES REACTIVITY		Human, Mouse				
AMOUNT		20 µl (2 blots)				
CONCENTRATION		40 μg/ml				
STORAGE/SHELF LIFE		2 - 8° C / 1 year from date of receipt				
PHYSICAL STATE		Liquid				
BUFFER		Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide				
ISOTYPE		IgG				
ORIGIN		USA				
PRODUCTION PROCEDURES		Antibody was affinity purified using an epitope specific to RCOR3 immobilized on solid support.				
		The epitope recognized by A301–273A–T maps to a region between residue 445 and 495 of human REST corepressor 3 using the numbering given in entry NP_060724.1 (GeneID 55758).				
APPLICATIONS		Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.				
		Western Blot	1:1	000		
		Immunoprecipita	use	e antibody contained with in immunoprecipitation; ernative formulation of th	; however, we recor	mmend using the
		Immunohistoche		20 – 1:100. Epitope retriev commended for FFPE tissu		er pH 6.0 is
		Immunofluoresce (IHC)	ence 1:2	20 - 1:100		
		Immunofluoresce (ICC)	ence 1:2	20 – 1:50		
APPLICATION NOTES		Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020), Goat anti–Rabbit Light Chain HRP Conjugate (Cat. No. A120–113P) and 4–20% SDS–PAGE (link to IP–western blot protocol in Additional Info section below).				
		Western blot of lysates performed using standard western blot reagents and 4-20% SDS-PAGE.				
ADDITIONAL IN	IFO	https://www.bethyl.com/product/A301–273A–T				
		Use the link above to view SDS, a current list of citations, and other product specific information. IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB				

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.



Detection of human and mouse RCOR3 by western blot.

Samples: Whole cell lysate from HeLa (5, 15, and 50 μg), HEK293T (T; 50 μg) and mouse NIH 3T3 (M; 50 μg) cells. *Antibody:* Affinity purified rabbit anti-RCOR3 antibody A301-273A-T used at 1:1000. *Detection:* Chemiluminescence with an exposure time of 1 second.