

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



GTF2IRD/TFII-IRD1 Antibody





Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_057412.1

Catalog No. A301-333A-T GeneID 9569

Lot No. A301-333A-T-2

APPLICATIONS WB, IHC
SPECIES REACTIVITY Human
AMOUNT 10 μl

CONCENTRATION 200 μg/ml

STORAGE/SHELF LIFE 2 - 8°C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION Antibody was affinity purified using an epitope specific to GTF2IRD/TFII-IRD1 immobilized

PROCEDURES on solid support.

The epitope recognized by A301-333A-T maps to a region between residue 909 and 959 of

human general transcription factor 2I repeat domain containing 1 using the numbering

given in entry NP_057412.1 (GeneID 9569).

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:2,000 - 1:10,000

Immunohistochemistry 1:100 - 1:500. Epitope retrieval with citrate buffer pH 6.0 is

recommended for FFPE tissue sections.

ADDITIONAL INFO https://www.bethyl.com/product/A301-333A-T


Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB


This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.

Michael Spencer, PhD

Date: June 6, 2022



Detection of human GTF2IRD1/TFII-IRD1 by western blot. *Samples:* Whole cell lysate (5, 15, and 50 μg) from HeLa cells. *Antibody:* Affinity purified rabbit anti-GTF2IRD1/TFII-IRD1 antibody (A301-333A lot 2) used at 0.1μg/ml. *Detection:* Chemiluminescence with an exposure time of 3 minutes.



Detection of human GTF2IRD/TFII-IRD1 by immunohistochemistry. Sample: FFPE section of human prostate carcinoma. Antibody: Affinity purified rabbit anti-GTF2IRD/TFII-IRD1 (Cat. No. A301-333A Lot1) used at a dilution of 1:200 (1µg/ml). Detection: DAB