

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com


USP9X Antibody

Rabbit Polyclonal Antigen Affinity Purified			Protein ID	CAD18900.2	
Catalog No. A301–351A			GenelD	8239	D ST 🗸 🎈
Lot No. A301-351A-1			Geneid	0233	BETHYL
	A301-	JJ17-1			LABORATORIES, INC
APPLICATIONS		WB, IP			
SPECIES REACTIVITY		Human, Mouse			
AMOUNT		100 μΙ			
CONCENTRATION		200 µg/ml			
STORAGE/SHELF LIFE		2 - 8° C / 1 year from date of receipt			
PHYSICAL STATE		Liquid			
BUFFER		Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide			
ISOTYPE		IgG			
ORIGIN		USA			
PRODUCTION PROCEDURES		Antibody was affinity purified using an epitope specific to USP9X immobilized on solid support.			
		The epitope recognized by A301-351A maps to a region between residue 2497 and 2547 of human ubiquitin specific peptidase 9, X-linked using the numbering given in entry CAD18900.2 (GeneID 8239).			
		Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.			
APPLICATIONS		Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.			
		Western Blot	1:2	,000 - 1:10,000	
		Immunoprecipi	tation 2 -	5 µg/mg lysate	
APPLICATION NOTES		Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120–113P) and 4–8% SDS-PAGE (link to IP-western blot protocol in Additional Info section below).			
		Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.			
ADDITIONAL INFO		https://www.bethyl.com/product/A301-351A			
					nd other product specific information.
		iP-western blot	protocol: http	os://www.bethyl.com/content/	bLotocol_Ih_mR

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.

2



Detection of human and mouse USP9X by western blot (h&m) and immunoprecipitation (h). Samples: Whole cell lysate from HeLa (5, 15 and 50 µg for WB; 1 mg for IP, 20% of IP loaded), HEK293T (T; 50 µg) and mouse NIH 3T3 (M; 50 µg) cells. Antibodies: Affinity purified rabbit anti-USP9X antibody A301-351A used for WB at 0.04 µg/ml (A) and 1 µg/ml (B) and used for IP at 3 µg/mg lysate. USP9X was also immunoprecipitated by rabbit anti-USP9X antibody A301-350A, which recognizes an upstream epitope. Detection: Chemiluminescence with exposure times of 1 second (A and B).

Bethyl Laboratories, Inc. • 25043 West FM 1097 • Montgomery, TX 77356 • 800.338.9579 • 936.597.6111 • 866.597.6105 (FAX) • www.bethyl.com • technical@bethyl.com