



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# KIAA0802 Antibody

Rabbit Polyclonal

Antigen Affinity Purified	RefSeq ID	NP_056025.2
Catalog No. A302-787A-T	Uniprot ID	Q9Y4B5
Lot No. 1	GeneID	23255

---

<b>APPLICATIONS</b>	WB, IP
<b>SPECIES REACTIVITY</b>	Human
<b>AMOUNT</b>	10 µl
<b>CONCENTRATION</b>	1000 µg/ml
<b>STORAGE/SHELF LIFE</b>	2 – 8°C / 1 year from date of receipt
<b>PHYSICAL STATE</b>	Liquid
<b>BUFFER</b>	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide
<b>ISOTYPE</b>	IgG
<b>ORIGIN</b>	USA
<b>PRODUCTION PROCEDURES</b>	Antibody was affinity purified using an epitope specific to KIAA0802 immobilized on solid support.


The epitope recognized by A302-787A maps to a region between residue 926 and 976 of human KIAA0802 using the numbering given in entry AAH40542.2 (GeneID 23255).

Immunoglobulin concentration was determined using Beer's Law where 1 mg/mL IgG has an A280 of 1.4.

<b>APPLICATIONS</b>	Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.
	Western Blot                      1:2000 – 1:10,000 (3-8% Tris-acetate gel recommended)
	Immunoprecipitation          6 µg/mg lysate

<b>ADDITIONAL INFO</b>	<a href="https://www.fortislife.com/p/A302-787A-T">https://www.fortislife.com/p/A302-787A-T</a> Use the link above to view SDS, a current list of citations, and other product specific information.
------------------------	---

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.  
Michael Spencer, PhD Date: January 31, 2024



**Detection of human KIAA0802 by western blot of immunoprecipitates.** *Samples:* Whole cell lysate (1 mg for IP, 20% of IP loaded) from HeLa cells. *Antibodies:* Affinity purified rabbit anti-KIAA0802 antibody A302-786A used for IP at 10 µg/mg lysate. KIAA0802 was also immunoprecipitated by rabbit anti-KIAA0802 antibody A302-787A, which recognizes a downstream epitope. For blotting immunoprecipitated KIAA0802, A302-787A was used at 1 µg/ml. *Detection:* Chemiluminescence with an exposure time of 3 minutes.