



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TIF1 Alpha/TRIM24 Recombinant Monoclonal Antibody [BLR225K]

Rabbit Recombinant Monoclonal

Purified		RefSeq ID	NP_056989.2
Catalog No.	A700-225	Uniprot ID	O15164
Lot No.	A700-225-1	GeneID	8805

APPLICATIONS	WB, IP
SPECIES REACTIVITY	Human
AMOUNT	100 µl (10 blots)
CONCENTRATION	100 µg/ml
STORAGE/SHELF LIFE	2 – 8°C / 1 year from date of receipt
PHYSICAL STATE	Liquid
BUFFER	Borate Buffered Saline (BBS) pH 8.2 with 0.1% BSA and 0.09% Sodium Azide
ISOTYPE	IgG
CLONE #	BLR225K
ORIGIN	USA
PRODUCTION PROCEDURES	Recombinant antibody was purified from cell culture supernatant.

Immunogen was a peptide representing a region between residue 1000 and the C-terminus (residue 1050) of human Transcription intermediary factor 1-alpha (TIF1 Alpha/TRIM24) using the numbering given in entry NP_056989.2 (Gene ID 8805).

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:1,000


Immunoprecipitation 20 µl/1 mg lysate

ADDITIONAL INFO <https://www.fortislifesciences.com/p/A700-225>

Use the link above to view SDS, a current list of citations, and other product specific information.


This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Michael Spencer, PhD Date: September 29, 2022

TIF1 Alpha/TRIM24 Recombinant Monoclonal Antibody [BLR225K] A700-225



Detection of human TIF1 Alpha/TRIM24 by western blot.

Samples: Whole cell lysate (10 µg) from HeLa, OVCAR-8, HEK293T, MOLT-4, and OVCAR-4 cells prepared using NETN lysis buffer. *Antibody:* Rabbit anti-TIF1 Alpha/TRIM24 recombinant monoclonal antibody [BLR225K] (A700-225 lot 1) used at 1:1000. *Secondary:* HRP-conjugated goat anti-rabbit IgG (A120-101P). Chemiluminescence with an exposure time of 75 seconds. Lower Panel: Rabbit anti-COPB2 antibody (A304-523A).



Detection of human TIF1 Alpha/TRIM24 by western blot of immunoprecipitates.

Samples: Whole cell lysate (1.0 mg per IP reaction; 20% of IP loaded) from HeLa cells prepared using NETN lysis buffer. *Antibodies:* Rabbit anti-TIF1 Alpha/TRIM24 recombinant monoclonal antibody [BLR225K] (A700-225 lot 1) used for IP at 20 µl/mg lysate. TIF1 Alpha/TRIM24 was also immunoprecipitated by a second antibody against a different epitope of TIF1 Alpha/TRIM24 (BL-2106A-1B4). For blotting immunoprecipitated TIF1 Alpha/TRIM24, A700-225 was used at 1:1000. Chemiluminescence with an exposure time of 3 seconds.