



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PVRL1 /NECTIN1 Recombinant Monoclonal Antibody [BLR284L]

Rabbit Recombinant Monoclonal

Purified		RefSeq ID	NP_002846.3
Catalog No.	A700-284-T	Uniprot ID	Q15223
Lot No.	1	GeneID	5818


APPLICATIONS	WB
SPECIES REACTIVITY	Human, Mouse
AMOUNT	20 µl (2 blots)
CONCENTRATION	500 µg/ml
STORAGE/SHELF LIFE	2 – 8°C / 1 year from date of receipt
PHYSICAL STATE	Liquid
BUFFER	Borate Buffered Saline (BBS) pH 8.2 with 0.1% BSA and 0.09% Sodium Azide
ISOTYPE	IgG
CLONE #	BLR284L
ORIGIN	USA
PRODUCTION PROCEDURES	Recombinant antibody was purified from cell culture supernatant.

Immunogen was a peptide representing a region between residue 200 and 250 of human Nectin-1 using the numbering given in entry NP_002846.3 (Gene ID 5818).

APPLICATIONS	Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.
	Western Blot 1:1,000


ADDITIONAL INFO	https://www.fortislifecom.com/p/A700-284-T Use the link above to view SDS, a current list of citations, and other product specific information.
------------------------	---

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Michael Spencer, PhD Date: September 28, 2023



Detection of human PVRL1/NECTIN1 by western blot.

Samples: Whole cell lysate (10 µg) from MCF-10A, SNB-75, HaCaT, MCF-7, and RT-4 cells prepared using NETN lysis buffer. *Antibody:* Rabbit anti-PVRL1/NECTIN1 recombinant monoclonal antibody [BLR284L] (A700-284 lot 1) used at 1:1000. *Secondary:* HRP-conjugated goat anti-rabbit IgG (A120-101P). *Detection:* Chemiluminescence with an exposure time of 10 seconds. Lower Panel: Rabbit anti-Actin recombinant monoclonal antibody [BLR057F] (A700-057).



Detection of mouse PVRL1/NECTIN1 by western blot.

Samples: Whole cell lysate (50 µg) from ND7/23, C6, RAW 264.7, J774A1, and AML12 cells prepared using NETN lysis buffer. *Antibody:* Rabbit anti-PVRL1/NECTIN1 recombinant monoclonal antibody [BLR284L] (A700-284 lot 1) used at 1:1000. *Secondary:* HRP-conjugated goat anti-rabbit IgG (A120-101P). *Detection:* Chemiluminescence with an exposure time of 75 seconds. Lower Panel: Rabbit anti-Actin recombinant monoclonal antibody [BLR057F] (A700-057).