

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



# PVRIG Recombinant Monoclonal Antibody [BLR296L]



Rabbit Recombinant Monoclonal

Purified RefSeq ID NP\_076975.2

Catalog No. A700-296 Uniprot ID Q6DKI7 Lot No. 1 GeneID 79037

APPLICATIONS WB

SPECIES REACTIVITY Human

 AMOUNT
 100 μl (10 blots)

 CONCENTRATION
 1000 μg/ml

**STORAGE/SHELF LIFE** 2 – 8°C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Borate Buffered Saline (BBS) pH 8.2 with 0.09% Sodium Azide, BSA-Free

**ISOTYPE** IgG

CLONE # BLR296L
ORIGIN USA

PRODUCTION PROCEDURES

Recombinant antibody was purified from cell culture supernatant.

Immunogen was a peptide representing a region between residue 200 and 250 of human transmembrane protein PVRIG using the numbering given in entry NP\_076975.2 (Gene ID

79037).

**APPLICATIONS** Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:1,000


**ADDITIONAL INFO** https://www.fortislife.com/p/A700-296

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.

Michael Spencer, PhD

Date: September 27, 2023



Detection of human PVRIG by western blot. Samples: Whole cell lysate (25 μg) from CCRF-CEM, A-549, Jurkat, C5/MJ, and Ramos cells prepared using NETN lysis buffer. Antibody: Rabbit anti-PVRIG recombinant monoclonal antibody [BLR296L] (A700-296 lot 1) used at 1:1000. Secondary: HRP-conjugated goat anti-rabbit IgG (A120-101P). Detection: Chemiluminescence with an exposure time of 3 minutes. Lower Panel: Rabbit anti-COPB2 antibody (A304-523A).