



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



## Apolipoprotein-M, FLAG Tag, HEK, human recombinant (rHuAPO-M-FLAG-HEK)

**Catalog No:** 97408  
**Lot No:** XXXXX  
**Source:** HEK293  
**Synonyms:** G3a, HSPC336, NG20, Apolipoprotein M, APOM, Apo-M, MGC22400

### Background

APOM belongs to the lipocalin protein family and is associated with high density lipoproteins and to a lesser extent with low density lipoproteins and triglyceride-rich lipoproteins. APOM is secreted through the plasma membrane but remains membrane-bound, where it takes part in lipid transport.

### Description

APOM HEK human recombinant protein is a 20 kDa protein containing 179 amino acid residues of APOM human and 13 additional amino acid residues FLAG Tag.

### Physical Appearance

White lyophilized (freeze-dried) powder.

### Formulation

APOM human was filtered (0.4 µm) and lyophilized from 0.5 mg/ml supplied in 20 mM Tris and 50 mM NaCl, pH 7.5.

### Solubility

It is recommended to add deionized water to prepare a working stock solution of approximately 0.5 mg/ml and let the lyophilized pellet dissolve completely. Product is not sterile! Please filter the product by an appropriate sterile filter before using it on cell culture.

### Stability

Store lyophilized APOM at -20°C. Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles. Reconstituted APOM Human can be stored at 4°C for a limited period of time; it does not show any change after two weeks at 4°C.

### Purity

Greater than 90% as determined by SDS-PAGE.

### Amino Acid Sequence

HV DYKDDDDK PAGCPEHSQL TTLGVDGKEF PEVHLGQWYF IAGAAPTKEE LATFD PVDNI VFNMAAGSAP MQLHLRATIR  
CPEHSQLTTL GVDGKEFPEV HLGQWYFIAG AAPTKEELAT FDPVDNIVFN MAAGSAPMQL HLRATIRMKD GLCVPRKWIY  
HLTEGSTDLR TEGRPDMKTE LFSSSCP GGI MLNETGQGYQ RFLLYNRSPH PPEKCVVEEFK SLTSC LDSKA FLLTPRNQEA  
CELSNN

### Applications

ELISA\*WB\*cell culture\*animal studies



**Usage**

This product is offered by Biomol for research purposes only. Not for diagnostic purposes or human use. It may not be resold or used to manufacture commercial products without written approval of Biomol GmbH.