

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in







Proheparin-Binding EGF-like Growth Factor, human recombinant, His Tag (rhuDTR)

Catalog No: 99924
Lot No: XXXXX
Source: E. coli

Synonyms: Proheparin-binding EGF-like growth factor, HBEGF, DTR, DTS, HEGFL, HB-EGF, Heparin-binding EGF-like

growth factor, Diphtheria toxin receptor, DT-R, DTSF

Background

HB-EGF is an EGF related growth factor, which signals via the EGF receptor, and stimulates the proliferation of smooth muscle cells (SMCs), fibroblasts, epithelial cells and keratinocytes. HB-EGF is expressed in various cell types and tissues, including vascular endothelial cells, SMCs, macrophages, skeletal muscle, keratinocytes and particular tumor cells. HB-EGF's ability to explicitly bind heparin and heparin sulfate proteoglycans is dissimilar from other EGF-like molecules, and might be related to the enhanced mitogenic activity, relative to EGF, that HB-EGF exerts on smooth muscle cells.

Description

HB-EGF His Human Recombinant, produced in *E. coli*, is a single, non-glycosylated polypeptide chain containing 109 amino acids (63-148). It has a molecular mass of 12.1 kDa. HB-EGF His is fused to a 23 amino acid His-tag at N-terminus and purified by proprietary chromatographic techniques.

Physical Appearance

Sterile filtered, clear solution.

Formulation

The HB-EGF His solution (0. 5 mg/ml) contains 20 mM Tris-HCl buffer (pH 8.0), 0.2 M NaCl, 2 mM DTT and 50% glycerol.

Stability

Store at 4°C if entire vial will be used within 2-4 weeks. Store frozen at -20°C for longer periods of time. For long term storage, it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.

Purity

Greater than 85% as determined by SDS-PAGE.

Usage

This product is offered by Biomol for research purposes only. Not for diagnostic purposes or human use. It may not be resold or used to manufacture commercial products without written approval of Biomol GmbH.