

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



# Spike Trimer (S1+S2) (BA.4.6, Omicron Variant), His-Tag (SARS-CoV-2) Recombinant

Catalog: 101664 Lot: 230113

**Product Information** 

**Description:** Recombinant SARS-CoV-2 Spike protein in its homotrimeric form, containing S1+S2

subunits. This protein corresponds to SARS-CoV-2 Omicron Variant BA.4.6 and contains the Omicron Spike mutations listed below. The construct also contains a C-

terminal His-tag. The recombinant protein was affinity purified.

**Species:** SARS-CoV-2

Mutation: T19I, LPP24-26del, A27S, HV69-70del, G142D, V213G, G339D, R346T, S371F, S373P,

S375F, T376A, D405N, R408S, K417N, N440K, L452R, S477N, T478K, E484A, F486V, Q498R, N501Y, Y505H, D614G, H655Y, N658S, N679K, P681H, N764K, D796Y, Q954H,

N969K

Concentration: 0.50 mg/ml Purity: ≥90%

Format: Aqueous buffer solution. Formulated In: 1X PBS, 0.09% NaN<sub>3</sub>

MW: Apparent MW of >175 kDa in SDS-PAGE due to glycosylation

Stability: At least 6 months at -80°C. This protein is highly sensitive to freeze/thaw cycles. Avoid

freeze/thaw cycles.

Storage: -80°C

**Instructions for Use:** Thaw on ice and gently mix prior to use. DO NOT VORTEX. Perform a quick spin before

opening. Aliquot into small volumes and flash freeze for long term storage. Avoid

multiple freeze/thaw cycles.

Assay Conditions: The ELISA was performed by coating 100 µl of ACE2-Fc at 2 µg/ml in PBS at 4°C

overnight. The plate was washed in PBS and blocked with 200  $\mu$ l of 1% BSA in PBS for 1 hour at room temperature. Increasing amounts of Spike Trimer BA.4.6 were added to the plate (serially diluted in blocking buffer). The plate was washed in PBS before adding 100  $\mu$ l of AffiniPure Peroxidase-conjugated Anti-His-Tag antibody (Jackson Immuno Research #300-035-240) diluted 1:5,000 in blocking buffer for 1 hour at room temperature. The plate was washed with PBS and 100  $\mu$ l of MB/E Ultra-Sensitiv HRP Substrate (EMD Millipore #ES022-500ml) was added for 5 minutes at room temperature. The reaction was stopped with 100  $\mu$ l of 0.6N H<sub>2</sub>SO<sub>4</sub> and read at 450 nm.

**Applications:** Screen or titrate anti-spike antibodies or inhibitors; use as antigen control in assay

design and optimization.


Catalog: 101664 Lot: 230113

**Quality Control Data** 

**Coomassie Staining** 



15 – 5 –



#### **Binding Assay**

