



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Product Information


<b>Description:</b>	This purified recombinant antibody is a humanized mouse IgG4k anti-CD4 (cluster of differentiation 4) antibody that selectively binds to CD4. Its sequence is similar to Ibalizumab. This antibody has a C-terminal Avi-Tag™ on its heavy chain. This antibody has been tested for specific binding to human CD4 in an <i>in vitro</i> ELISA.
<b>Background:</b>	CD4 (cluster of differentiation 4) is part of the immunoglobulin superfamily, and it can be found in T-helper cells, monocytes, macrophages and dendritic cells. It is a co-receptor in the TCR (T-cell receptor), binding to MHC (major histocompatibility complex) class II molecules. CD4 binds to the tyrosine kinase Lck (lymphocyte-specific protein tyrosine kinase), which can phosphorylate the ITAM (immunoreceptor tyrosine activation motifs) domain of the CD3, activating CD3 related signaling. CD4 is a typical T cell marker of T helper cells, and it has been linked to cancer, autoimmune diseases such as vitiligo and type I diabetes. In addition, HIV-1 makes use of CD4 to trigger viral envelope protein conformational changes that allow cell infection. Ibalizumab, an anti-CD4 antibody, is currently used in the treatment of HIV, being considered a first-in-class medication. Further studies into CD4 and potential strategies around it may benefit patients and CD4 related diseases.
<b>Species:</b>	Mouse
<b>Clonality:</b>	Monoclonal
<b>Concentration:</b>	1.58 mg/ml
<b>Expression System:</b>	HEK293
<b>Purity:</b>	≥90%
<b>Format:</b>	Aqueous buffer solution.
<b>Formulated In:</b>	8 mM phosphate, pH 7.4, 110 mM NaCl, 2.2 mM KCl, and 20% glycerol
<b>MW:</b>	Heavy Chain: 51 kDa; Light Chain: 24 kDa + glycans
<b>Glycosylation:</b>	This antibody runs at a higher MW by SDS-PAGE due to glycosylation.
<b>Label:</b>	This antibody is enzymatically biotinylated using Avi-Tag™ technology. Biotinylation is confirmed to be ≥90%.
<b>Stability:</b>	At least 6 months at -80°C.
<b>Storage:</b>	-80°C
<b>Instructions for Use:</b>	Thaw on ice and gently mix prior to use. DO NOT VORTEX. Perform a quick spin before opening. Aliquot into small volumes and flash freeze for long term storage. Avoid multiple freeze/thaw cycles.
<b>Assay Conditions:</b>	The antibody was validated by measuring anti-CD4 binding to human CD4 antigen in ELISA. The CD4 protein (BPS Bioscience #101862) was coated onto a 96-well plate overnight at 4°C (50 µl/well at a concentration of 4 µg/ml in PBS). The plate was washed 3 times with Immuno Buffer 1 (BPS Bioscience #79311) and blocked using 100 µl of Blocking Buffer 2 (BPS Bioscience #79728) for 1 hour at room temperature. After removing the blocking buffer, 50 µl/well of purified biotinylated anti-CD4 antibody (BPS Bioscience #101761), serially diluted in Blocking Buffer 2, was added for 30 minutes at room temperature. The plate was washed and incubated with Streptavidin-HRP, washed again, and incubated with the Colorimetric HRP substrate. The reaction was stopped, and absorbance was read at 450 nm. The Blank value was subtracted from all values.
<b>Applications:</b>	Useful for studying the binding to CD4 in ELISA.

## Quality Control Data

### 4-20% SDS-PAGE Coomassie Staining



### CD4: Anti-CD4-Biotin Binding Assay



### Biotin-Avidin Pulldown

