



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Information

Description:	Recombinant human CD123 (also known as IL3Ra, interleukin 3 receptor alpha) encompassing amino acids 20-305 (end). This construct contains a C-terminal Avi-Tag™ followed by a C-terminal His-tag (6xHis). The recombinant protein was affinity purified.
Background:	CD123, also known as interleukin 3 receptor alpha (IL3Ra), is a cell surface receptor found in pluripotent progenitor cells and involved in hematopoietic lineage differentiation. It can also be found in basophils, plasmacytoid dendritic cells and dendritic cells. CD123 is overexpressed on leukemic hematopoietic stem cells (HSCs), but not normal HSCs. It has been found in acute myeloid and B-lymphoid leukemias, blastic plasmacytoid dendritic neoplasms (BPDCN), and hairy cell leukemia. This expression profile makes CD123 an attractive target in cancer therapy. CAR-Ts and other therapies targeting CD123 are being evaluated in clinical trials.
Species:	Human
Construct:	CD123 (20-305-Avi-His)-(Biotin)
Concentration:	0.35 mg/ml
Expression System:	HEK293
Purity:	≥90%
Format:	Aqueous buffer solution.
Formulated In:	8 mM phosphate, pH 7.4, 110 mM NaCl, 2.2 mM KCl, and 20% glycerol
MW:	36 kDa + glycans
Glycosylation:	This protein runs at a higher MW by SDS-PAGE due to glycosylation.
Genbank Accession:	NM_002183.4
Label:	This protein is enzymatically biotinylated using Avi-Tag™ technology. Biotinylation is confirmed to be ≥90%.
Stability:	At least 6 months at -80°C.
Storage:	-80°C
Instructions for Use:	Thaw on ice and gently mix prior to use. DO NOT VORTEX. Perform a quick spin before opening. Aliquot into small volumes and flash freeze for long term storage. Avoid multiple freeze/thaw cycles.
Applications:	Useful for SDS-PAGE and avidin pull-down assays.

Quality Control Data

4-20% SDS-PAGE Coomassie Staining



Biotin-Avidin Pulldown

