



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Information

Description:	Human recombinant CD4, encompassing amino acids 26-396 which correspond to the extracellular domain. This construct contains a C-terminal Avi-Tag™ followed by an His-Tag (6xHis). This protein was affinity purified. HiP™ indicates a high purity protein (≥90% pure) and less than 10% aggregation as measured by gel filtration.
Background:	CD4 (cluster of differentiation 4) is part of the immunoglobulin superfamily, and is found in T-helper cells, monocytes, macrophages and dendritic cells. It is a co-receptor in the TCR (T-cell receptor), binding to MHC (major histocompatibility complex) class II molecules. CD4 binds to the tyrosine kinase Lck (lymphocyte-specific protein tyrosine kinase), which can phosphorylate the ITAM (immunoreceptor tyrosine activation motifs) domain of the CD3, activating CD3-related signaling. CD4 is a typical marker of T helper cells, and it has been linked to cancer, autoimmune diseases such as vitiligo and type I diabetes. In addition, HIV-1 uses CD4 as a cellular receptor to trigger viral envelope protein conformational changes that allow cell infection. Further studies into CD4 and potential strategies around it may benefit patients and CD4 related diseases.
Species:	Human
Construct:	CD4 (26-396-Avi-His)
Concentration:	0.82 mg/ml
Expression System:	HEK293
Purity:	≥90%
Format:	Aqueous buffer solution.
Formulated In:	8 mM phosphate, pH 7.4, 110 mM NaCl, 2.2 mM KCl, and 20% glycerol
MW:	45 kDa + glycans
Glycosylation:	This protein runs at a higher MW by SDS-PAGE due to glycosylation.
Aggregation:	<10%
Genbank Accession:	NM_000616.5
Stability:	At least 6 months at -80°C.
Storage:	-80°C
Instructions for Use:	Thaw on ice and gently mix prior to use. DO NOT VORTEX. Perform a quick spin before opening. Aliquot into small volumes and flash freeze for long term storage. Avoid multiple freeze/thaw cycles.

Quality Control Data

4-20% SDS-PAGE Coomassie Staining



Gel Filtration Curve

