



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Information

| | |
|------------------------------|---|
| Description: | Recombinant human VEGFR3 (vascular endothelial growth factor receptor 3), encompassing amino acids 25-776. This construct contains a C-terminal Factor Xa sequence and a human Fc domain of IgG1 followed by an Avi-Tag™. This protein was affinity purified. |
| Background: | VEGFR3 (vascular endothelial growth factor receptor 3) is one of three VEGFRs and has VEGFC and VEGFD as ligands. Its main roles are in angiogenesis, lymphangiogenesis, and vasculogenesis. VEGFR3 is cleaved within its immunoglobulin-like domain, resulting in two peptides that bind together via a disulphide bond and get integrated into the cell membrane. This protein can exist as three isoforms: full length, an isoform missing 65 amino acids on the C-terminus and a third isoform missing a larger fraction of the C-terminus. This third is soluble and seems to function in sequestering VEGFC in the retina. VEGFR3 can form heterodimers with VEGFR2 and bind VEGFC, functioning in angiogenesis and hematopoiesis. Dysfunction of this protein can result in Milroy disease, congenital heart disease and cancer. The use of inhibitors targeting VEGFR3 can reduce angiogenesis and be beneficial in cancer therapy. |
| Species: | Human |
| Construct: | VEGFR3 (25-776-Fc(IgG1)-Avi) |
| Concentration: | 1.24 mg/ml |
| Expression System: | HEK293 |
| Purity: | ≥90% |
| Format: | Aqueous buffer solution. |
| Formulated In: | 8 mM phosphate, pH 7.4, 110 mM NaCl, 2.2 mM KCl, and 20% glycerol |
| MW: | 114 kDa + glycans |
| Glycosylation: | This protein runs at a higher MW by SDS-PAGE due to glycosylation. |
| Genbank Accession: | NM_182925 |
| Stability: | At least 6 months at -80°C. |
| Storage: | -80°C |
| Instructions for Use: | Thaw on ice and gently mix prior to use. DO NOT VORTEX. Perform a quick spin before opening. Aliquot into small volumes and flash freeze for long term storage. Avoid multiple freeze/thaw cycles. |
| Applications: | Useful for SDS-PAGE. |

Quality Control Data

4-20% SDS-PAGE Coomassie Staining

