



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Data Sheet

BRD9 (135-242)

Human, recombinant, N-terminal GST tag
Catalog #: 31091
Lot#: 130315-D **Conc.:** 3.6 mg/ml

Formulated in: 40 mM Tris-HCl, pH 8.0, 110 mM NaCl, 2.2 mM KCl, and 20% glycerol.

Stability: >6 months at -80 °C. Avoid multiple freeze/thaw cycles.

References:


1. Scotto, L., *et al.*, *Mol. Cancer*. 2008 Jun 17; **7**:58.
2. Kang, J.U., *et al.*, *Cancer Genet Cytogenet*. 2008 Apr 1; **182(1)**: 1-11.

Description: Human Bromodomain containing 9, also known as BRD9, amino-acids 135 – 242 (GenBank Accession No. NM_023924) with N-terminal GST tag, MW = 39 kDa, expressed in an *E. coli* expression system.

Assay Conditions: Assay was performed using BRD9 Inhibitor Screening Assay Kit, Cat. # 32519. BRD9 protein is incubated with biotinylated acetyl-histone peptide substrate BET Bromodomain Ligand in BRD9 assay buffer in a 10 ul reaction for 30 min at RT. AlphaLISA® GSH acceptor beads (PerkinElmer) were then added, and the mixture was incubated for 30 minutes at room temperature (RT). AlphaScreen® Streptavidin-conjugated donor beads (PerkinElmer) were then added. After 10 minute incubation at RT, Alphacounts are measured.

Application: Useful for the study of bromodomain binding assays, screening inhibitors, and selectivity profiling.


Quality Assurance



**4-20% SDS-PAGE
 Coomassie staining**

Lane 1:
 2 µg BRD9
Lane 2:
 Protein Marker

MW: 39 kDa
Purity: ≥90%



OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.
 To place your order, please contact us by Phone **1.858.829.3082** Fax **1.858.481.8694**
 Or you can Email us at: info@bpsbioscience.com
 Please visit our website at: www.bpsbioscience.com



6044 Cornerstone Court West, Suite E
San Diego, CA 92121
Tel: 1.858.829.3082
Fax: 1.858.481.8694
Email: info@bpsbioscience.com

Sequence:

MSPILGYWKIKGLVQPTRLLLEYLEEKYEEHLYERDEGDKWRNKKFELGLEFPNLPYYID
GDVKLTQSMARIIRYIADKHNMLGGCPKERAEISMLEGAVLDIRYGVSRAYSKDFETLKVDF
LSKLPPEMLKMFEDRLCHKTYLNGDHVTHPDFMLYDALDVVLYMDPMCLDAFPKLVCFKK
RIEAIQIDKYLKSSKYIAWPLQGQWQATFGGGDHPPKSDLEVLFGPLGSENESTPIQQLL
EHFLRQLQRKDPHGFFAFPVTDIAIPGYSMIIKHPMDFGTMKDKIVANEYKSVTEFKADF
KLMCDNAMTYNRPDVTYYYKLAKKILHAGFKMMSKQAA

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.
To place your order, please contact us by Phone **1.858.829.3082** Fax **1.858.481.8694**
Or you can Email us at: info@bpsbioscience.com
Please visit our website at: www.bpsbioscience.com