



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Data Sheet

### IDH1 (R132H)

Human, recombinant, C-terminal FLAG-tag

**Catalog #:** 71099

**Lot#:** 140204-2      **Conc.:** 0.39 mg/ml

**Formulated in:** 40 mM Tris-HCl, pH 8.0, 110 mM NaCl, 2.2 mM KCl, 0.04% Tween-20 and 20% glycerol.

**Stability:** >6 months at -80°C. *Avoid freeze/thaw cycles.*

**References:**


1. Dang, L., *et al.* (2010). *Trends Mol. Med.* **16(9)**:387-97.
2. Paschka, P., *et al.* (2010). *J. Clin. Oncol.* **28(22)**:3636-43.

**Description:** Human Isocitrate Dehydrogenase (IDH1), also known as oxalosuccinate decarboxylase, GenBank Accession No. NM\_005896, full length [a.a. 1-414(end)] with Arg to His mutation on a.a. 132 and C-terminal FLAG-tag, MW= 48 kDa, expressed in Sf9 cells via a baculovirus expression system.

**Specific Activity:** 57 pmol/min/μg. Assay conditions: IDH reductive activity was measured in 200 μl reaction containing 25 mM Tris (pH 7.4), 150 mM NaCl, 10 mM MgCl<sub>2</sub>, 0.03% BSA, 1 mM α-Ketoglutarate, 10 μM NADPH and IDH. Depletion of NADPH was monitored over time at 340 nm. Depletion of NADPH was monitored continuously at Abs340 nm for 20 min. Molar extinction coefficient of NADPH is 6,200 M<sup>-1</sup>cm<sup>-1</sup>.

**Application:** Useful for the study of enzyme kinetics, screening inhibitors, and selectivity profiling.

### Quality Assurance




**4-20% SDS-PAGE**  
**Coomassie staining**

**Lane 1:**  
 2.6 μg IDH1 (R132H)

**Lane 2:**  
 Protein Marker

**MW:** 48 kDa  
**Purity:** ≥70%



OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.829.3082** Fax **1.858.481.8694**  
 Or you can Email us at: [info@bpsbioscience.com](mailto:info@bpsbioscience.com)  
 Please visit our website at: [www.bpsbioscience.com](http://www.bpsbioscience.com)



6044 Cornerstone Court West, Suite E  
San Diego, CA 92121  
**Tel:** 1.858.829.3082  
**Fax:** 1.858.481.8694  
**Email:** [info@bpsbioscience.com](mailto:info@bpsbioscience.com)

**Sequence:**

MSKKISGGSVVEMQGDEMTRIIWELIKEKLIFPYVELDLHSYDLGIENRDATNDQVTKDA  
AEAIAKKHNVGVKCATITPDEKRVVEEFKLKQMWKSPNGTIRNILGGTVFREAIICKNIPRLV  
SGWVKPIIIGHAYGDQYRATDFVVPGPVKVEITYTPSDGTQKVTYLVHNFEEGGGVA  
MGMYNQDKSIEDFAHSSFQMALSKGWPLYLSTKNTILKKYDGRFKDIFQEIYDKQYKSQ  
FEAQKIWYEHRLIDDMVAQAMKSEGGFIWACKNYDGDVQSDSVAQGYGSLGMMTSVL  
VCPDGKTVEAEAAHGTVTRHYRMYQKGQETSTNPIASIFAWTRGLAHRAKLDNNKELA  
FFANALEEVSIETIEAGFMTKDLAACIKGLPNVQRSYDLNTFEFMDKLGKIKLAQAKL  
DYKDDDDK

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.829.3082** Fax **1.858.481.8694**  
Or you can Email us at: [info@bpsbioscience.com](mailto:info@bpsbioscience.com)  
Please visit our website at: [www.bpsbioscience.com](http://www.bpsbioscience.com)