



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Data Sheet

IDH2 (R140Q)

Human, recombinant, C-terminal FLAG-tag

Catalog #: 71100

Lot#: 130718 **Conc.:** 0.12 mg/ml

Formulated in: 40 mM Tris-HCl, pH 8.0, 110 mM NaCl, 2.2 mM KCl, 80 µg/ml FLAG peptide, 0.04% Tween-20, and 20% glycerol.

Stability: >6 months at -70°C. Avoid freeze/thaw cycles.

References:


1. Schaap, F.G., *et al.*, *Adv. Anat. Pathol.* 2013;**20(1)**:32-38.
2. Grassian, A.R., *et al.*, *J. Biol. Chem.* 2012;**287(50)**:42180-42194.

Description: Human isocitrate dehydrogenase 2, also known as IDH2, GenBank Accession No. NM_002168, a.a. 1-452(end) with with Arg to Gln mutation on a.a. 140 and C-terminal FLAG-tag, MW = 52 kDa, expressed in a baculovirus infected Sf9 cell expression system. Note: This protein runs aberrantly by SDS-PAGE.

Specific Activity: 61 pmol/min/µg.
 Assay conditions: IDH reductive activity was measured in 200 µl reaction containing 25 mM Tris (pH7.4), 150 mM NaCl, 10 mM MgCl₂, 0.03% BSA, 1 mM α-Ketoglutarate, 10 µM NADPH and IDH. Depletion of NADPH was monitored continuously at Abs340 nm for 20 min. Molar extinction coefficient of NADPH is 6,200 M⁻¹cm⁻¹.

Application: Useful for the study of enzyme kinetics, screening inhibitors, and selectivity profiling.

Quality Assurance




4-20% SDS-PAGE Coomassie staining

Lane 1:
2.4 µg IDH2 (R140Q)

Lane 2:
Protein Marker

Purity: ≥90%
MW: 52 kDa



OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.829.3082** Fax **1.858.481.8694**
 Or you can Email us at: info@bpsbioscience.com
 Please visit our website at: www.bpsbioscience.com



6044 Cornerstone Court West, Suite E
San Diego, CA 92121
Tel: 1.858.829.3082
Fax: 1.858.481.8694
Email: info@bpsbioscience.com

Sequence:

MAGYLRVVRS LCRASGSRPAWAPAAL TAPTSQE QPRRH YADKRIKVAKPVVEMDGDE
MTRIIWQFIKEKLILPHVDIQLKYFDLGLPNRDQTDDQVTIDSALATQKYSVAVKCATITP
DEARVEEFK LKKMWKSPNGT **IQ**NILGGTVFREPIICKNIPRLVPGWTKPITIGRHAHG DQ
YKATDFVADRAGTFKMVFTPKDGSGVKEWEVYNFPAGGVGMGMYNTDESISGFAHSC
FQYAIQKKWPLYMSTKNILKAYDGRFKDIFQEIFDKHYKTDFDKNKIWEHRLIDDMVA
QVLKSSGGFVWACKNYDGDVQSDILAQQFGSLGLMTSVLVCPDGKTIEAAAHGTVTR
HYREHQGRPTSTNPIASIFAWTRGLEHRGKLDGNQDLIRFAQMLEKVCVETVESGAM
TKDLAGCIHGLSNVKLNEHFLNTTDFLDTIKSNLDRALGRQ **DYKDDDDK**

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.829.3082** Fax **1.858.481.8694**
Or you can Email us at: info@bpsbioscience.com
Please visit our website at: www.bpsbioscience.com