



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Data Sheet

### **Cas9-Expressing Neuro2A Cell Pool**

**Catalog #: 78087**

#### **Description**

Cas9 (*Streptococcus pyogenes* CRISPR associated protein 9) is an endonuclease enzyme that, when recruited to a specific DNA sequence by the sgRNA (single guide RNA), introduces a double stranded break into the DNA. This double stranded break is repaired in mammalian cells either through Non-Homologous End Joining or Homologous Recombination. Non-Homologous End Joining often results in the deletion or insertion of several base pairs at the cut site, which, when resulting in a frameshift, causes the functional inactivation of the targeted gene. Cas9-expressing Neuro2A cell pool can be transduced or electroporated with sgRNA targeting a gene of interest to quickly generate knock-out cell pools or cell lines.

#### **Application**

1. Quickly generating knock-out cell pools or cell lines in Neuro2A cells.
2. Implementing sgRNA screens in Cas9-expressing Neuro2A cells.

#### **Format**

Each vial contains  $\sim 2 \times 10^6$  cells in 1 ml of FBS with 10% DMSO.

#### **Storage**

Immediately upon receipt, store in liquid nitrogen.

#### **Host Cell**

Neuro2a is a mouse neuroblastoma cell line. Adherent neuroblast cells.

#### **Culture Medium**

**Thaw Medium 1 (BPS Bioscience #60187):** MEM medium (Gibco, #11095-080) supplemented with 10% FBS (Gibco, #26140-079), 1X MEM Non-essential Amino Acids (Corning, #25-025-CI), 1% Sodium Pyruvate (Corning, #25-000-CI), and 1% Penicillin/Streptomycin (Gibco, #15140-122).

**Growth Medium 1Q (BPS Bioscience #78096):** Thaw Medium 1 (BPS Bioscience, #60187) plus 1  $\mu\text{g}/\text{mL}$  Puromycin (Invivogen, #ant-pr-1) to ensure recombinant expression.

#### **Recommended Culture Conditions**

**Thawing Cells:** Prepare a 15 mL conical tube with 10 ml of pre-warmed Thaw Medium 1 (**no Puromycin**). Quickly thaw cells in a 37°C water bath with constant and slow agitation. Clean the outside of the vial with 70% ethanol and immediately transfer the entire contents to the conical tube. Spin cells at 200 x g for 5 minutes, and remove all medium from the pellet. Resuspend in 15mL Thaw Medium 1 (**no Puromycin**) and transfer to a T-75 flask. Gently rock

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.202.1401** Fax **1.858.481.8694**

Or you can Email us at: [info@bpsbioscience.com](mailto:info@bpsbioscience.com)

Please visit our website at: [www.bpsbioscience.com](http://www.bpsbioscience.com)



6042 Cornerstone Court W, Ste B  
San Diego, CA 92121  
Tel: 1.858.202.1401  
Fax: 1.858.481.8694  
Email: [info@bpsbioscience.com](mailto:info@bpsbioscience.com)

the flask to distribute the cells. Incubate the cells in a humidified 37°C incubator with 5% CO<sub>2</sub>. 24 hours after incubation, change culture to fresh Thaw Medium 1 (**no Puromycin**); avoid disturbing the attached cells. Continue to monitor growth for 2-3 days and change the media to remove dead cell debris, if necessary. Begin adding Growth Medium 1Q after multiple cell colonies (in clumps) start to appear (indicative of healthy cell division).

*Subculture:* When cells have reached 90% confluency, remove Growth Medium 1Q and gently wash cells twice with PBS (without Magnesium or Calcium). Treat cells with 2 ml of 0.25% Trypsin/EDTA and incubate for 2-3 minutes at 37°C. Dispense 10 ml of pre-warmed Growth Medium 1Q to the trypsinized cells and gently pipette up and down to neutralize the trypsin and break apart any cell clumps. Transfer cells to a conical tube and centrifuge at 200 x g for 5 minutes. Remove the supernatant and re-suspend the cell pellet in 10-14 ml of prewarmed Growth Medium 1Q. Dispense 2 ml of cell suspension into a new T-75 flask containing prewarmed 15 ml of Growth Medium 1Q. Incubate cells in a humidified 37°C incubator with 5% CO<sub>2</sub>.

*Cryopreservation:* When cells reach 90% confluency, use trypsin to remove cells from plate as above, spin cells, and remove medium from the pellet. Resuspend the cells in freezing medium (10% DMSO in FBS). Freeze cells using a reduced rate freezing box (-0.5°C to -1°C per minute) down to -80°C, then move cells to liquid nitrogen for long term storage. Cells have been demonstrated to be stable for at least 15 passages; BPS recommends preparing frozen stocks (>10 vials) at an early passage so cells are not used beyond passage 20.

### **Validation**


Expression of Cas9 was confirmed by flow cytometry.

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.202.1401** Fax **1.858.481.8694**

Or you can Email us at: [\*\*info@bpsbioscience.com\*\*](mailto:info@bpsbioscience.com)

Please visit our website at: [\*\*www.bpsbioscience.com\*\*](http://www.bpsbioscience.com)



### Figure 1. Expression of Cas9 in Neuro2A cell pool.

Flow cytometry analysis of intracellular expression of Cas9 in Neuro2A cell pool. Cells were stained with PE-labeled anti-FLAG antibody (BioLegend, #637309) and analyzed by FACS. Parental Neuro2A cells are shown in blue, and the Cas9-expressing Neuro2A cell pools are shown in green.

### Mycoplasma Testing

This cell pool has been screened using the MycoAlert™ Mycoplasma Detection Kit (Lonza, #LT07-118) to confirm the absence of Mycoplasma contamination. MycoAlert Assay Control Set (Lonza, #LT07-518) was used as a positive control.

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.202.1401** Fax **1.858.481.8694**

Or you can Email us at: [info@bpsbioscience.com](mailto:info@bpsbioscience.com)

Please visit our website at: [www.bpsbioscience.com](http://www.bpsbioscience.com)



6042 Cornerstone Court W, Ste B  
San Diego, CA 92121  
Tel: 1.858.202.1401  
Fax: 1.858.481.8694  
Email: [info@bpsbioscience.com](mailto:info@bpsbioscience.com)

### Vector and Sequence

*Streptococcus pyogenes* Cas9, including a C-terminal FLAG tag, was transduced via lentivirus (BPS Bioscience, #78066).

MDKKYSIGLDIGTNSVGWAVITDEYKVPSSKFKVLGNTDRHSIKKNLIGALLFDSGETAEATRLK  
RTARRRYTRRKNRICYLQEIFSNEMAKVDDSSFFHRLEESFLVEEDKKHERHPHIFGNIVDEVAYH  
EKYPTIYHLRKKLV DSTDKADLRLIYLALAHMIKFRGHFLIEGDLNPDNSDVKLFIQLVQTYNQL  
FEENPINASGVDAKAILSARLSKSRLENLIAQLPGEKKNLFGNLIASLGLTPNFKSNFDLAED  
AKLQLSKD TYDDDLDNLLAQIGDQYADLFLAAKNLSDAILLSDILRVNTEITKAPLSASMIKRYDE  
HHQDLTLLKALVRQQLPKEYKEIFFDQSKNGYAGYIDGGASQEEFYKFIKPILEKMDGTEELLVK  
LNREDLLRKQRTFDNGSIPHQIHLGELHAILRRQEDFYFPLKDNREKIEKILTRIPYYVGPLARG  
NSRFAWMTRKSEETITPWNFEEVVDKGASAQSFIERMTNFDKNLPNEKVLPKHSLLYEYFTVY  
NELTKVKYVTEGMRKPAFLSGEQKKAIVDLLFKTNRKVTVKQLKEDYFKKIECFDSVEISGVEDR  
FNASLGTYHDLLKIIKDKDFLDNEENEDILEDIVLTLTLFEDREMIEERLKYAHLFDDKVMKQLK  
RRRYTGWGRLSRKLINGIRDKQSGKTILDFLKSDGFANRNFMQLIHDDSLTFKEDIQKAQVSGQ  
GDSLHEHIANLAGSPAIKKGIQTVKVVDLVKVMGRHKPENIVIAMARENQTTQKGQKNSRER  
MKRIEEGIKELGSQILKEHPVENTQLQNEKLYLYLQNGRDMYVDQELDINRLSDYDVDHIVPQ  
SFLKDDSIDNKVLRSDKNRKGSDNVPSEEVVKKMKNYWRQLLNAKLITQRKFDNLTKAERGG  
LSELDKAGFIKRQLVETRQITKHVAQILDSRMNTKYDENDKLIREVKVITLKSCLVSDFRKDFQFY  
KVREINNYHHAHDAYLNAVVG TALIKKYPKLESEFVYGDYKVDVRKMIKSEQEIGKATAKYFF  
YSNIMNFFKTEITLANGEIRKRPLIETNGETGEIVWDKGRDFATVRKVL SMPQVNVKKTEVQTG  
GFSKESILPKRNSDKLIARKKDWDPK KYGGFDSPTVAYSVLVAKVEKGKSKLKS VKELLGITI  
MERSSF EKNPIDFLEAKGYKEVKKDLIIKLPKYSLFELENGRKRMLASAGELQKGNELALPSKYV  
NFLYLASHYEKLGSPEDNEQKQLFVEQHKHYLDEII EQISEFSKR VILADANLDKVL SAYNKHR  
DKPIREQAENIIHLFTLTNLGAPAAFKYFDTTIDRKRYTSTKEVLDATLIHQ SITGLYETRIDLSQLG  
GDKRPAATKKAGQAKKKKDYKDDDDK

### Related Products

<u>Product</u>	<u>Cat. #</u>	<u>Size</u>
Cas9-Expressing Jurkat cell pool	78070	2 vials
Cas9-Expressing Raji cell pool	78071	2 vials
Cas9-Expressing A549 cell pool	78072	2 vials
Cas9-Expressing HCT116 cell pool	78073	2 vials
Cas9 Lentivirus (puromycin selection)	78066	500 µl x 2
Cas9, His-tag ( <i>S. pyogenes</i> )	100206-1	50 µg

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.202.1401** Fax **1.858.481.8694**

Or you can Email us at: [info@bpsbioscience.com](mailto:info@bpsbioscience.com)

Please visit our website at: [www.bpsbioscience.com](http://www.bpsbioscience.com)



6042 Cornerstone Court W, Ste B  
San Diego, CA 92121  
Tel: 1.858.202.1401  
Fax: 1.858.481.8694  
Email: [info@bpsbioscience.com](mailto:info@bpsbioscience.com)

### **Notes**

*The CRISPR/CAS9 technology is covered under numerous patents, including U.S. Patent Nos. 8,697,359 and 8,771,945, as well as corresponding foreign patents applications, and patent rights.*

### **License Disclosure**

Purchase of this cell line grants you with a 10-year license to use this cell line in your immediate laboratory, for research use only. This license does not permit you to share, distribute, sell, sublicense, or otherwise make the cell line available for use to other laboratories, departments, research institutions, hospitals, universities, or biotech companies. The license does not permit use of this cell line in humans or for therapeutic or drug use. The license does not permit modification of the cell line in any way. Inappropriate use or distribution of this cell line will result in revocation of the license and result in an immediate cease of sales and distribution of BPS products to your laboratory. BPS does not warrant the suitability of the cell line for any particular use, and does not accept any liability in connection with the handling or use of the cell line. Modifications of this cell line, transfer to another facility, or commercial use of the cells may require a separate license and additional fees; contact [sales@bpsbioscience.com](mailto:sales@bpsbioscience.com) for details. Publications using this cell line should reference BPS Bioscience, Inc., San Diego.

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.202.1401** Fax **1.858.481.8694**

Or you can Email us at: [\*\*info@bpsbioscience.com\*\*](mailto:info@bpsbioscience.com)

Please visit our website at: [\*\*www.bpsbioscience.com\*\*](http://www.bpsbioscience.com)