

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



# Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

# SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



# Description

eGFP/Firefly Luciferase OVCAR3 Cell Line is the human ovarian cancer cell line OVCAR3 engineered to express firefly luciferase and enhanced GFP (eGFP) driven by an EF1a promoter. This cell line was generated by transduction with Firefly Luciferase-eGFP Lentivirus (BPS Bioscience #78741).

#### **Background**

The OVCAR3 cell line was isolated from a high-grade serous ovarian adenocarcinoma patient refractory to treatment with cisplatin. This cell line is highly tumorigenic and presents an abnormal karyotype. OVCAR3 cells are a suitable model of ovarian cancer for drug resistance studies and hormonal therapy. The presence of eGFP and luciferase allow for easy assay readouts, making this cell line a convenient choice.

## **Application**

- In vitro and in vivo bioluminescence imaging (BLI) and fluorescence imaging.
- Use as target cells in CAR-T co-culture killing assays.

#### **Materials Provided**

Components	Format
2 vials of frozen cells	Each vial contains >1 x 10 <sup>6</sup> cells in 1 ml of Cell Freezing
	Medium (BPS Bioscience #79796)

#### **Parental Cell Line**

OVCAR3, ovarian adenocarcinoma cell line, adhering.

# **Mycoplasma Testing**

The cell line has been screened to confirm the absence of Mycoplasma species.

#### Materials Required but Not Supplied



These materials are not supplied with the cell line but are necessary for cell culture and cellular assays. BPS Bioscience's reagents are validated and optimized for use with this cell line and are highly recommended for best results. Media components are provided in the Media Formulations section below.

# Media Required for Cell Culture

Name	Ordering Information
Thaw Medium 2	BPS Bioscience #60184
Growth Medium 2E	BPS Bioscience #79638

### **Storage Conditions**



Cells are shipped in dry ice and should immediately be thawed or stored in liquid nitrogen upon receipt. Do not use a -80°C freezer for long term storage. Contact technical support at support@bpsbioscience.com if the cells are not frozen in dry ice upon arrival.



#### **Media Formulations**

For best results, the use of validated and optimized media from BPS Bioscience is *highly recommended*. Other preparations or formulations of media may result in suboptimal performance.



Note: Thaw Media do *not* contain selective antibiotics. However, Growth Media *do* contain selective antibiotics, which are used to maintain selective pressure on the cell population expressing the gene of interest.

Cells should be grown at 37°C with 5% CO<sub>2</sub>. BPS Bioscience's cell lines are stable for at least 10 passages when grown under proper conditions.

### Media Required for Cell Culture

Thaw Medium 2 (BPS Bioscience #60184):

RPMI-1640 medium supplemented with 10% FBS, 1% Penicillin/Streptomycin.

Growth Medium 2E (BPS Bioscience #79638):

RPMI-1640 medium supplemented with 10% FBS, 1% Penicillin/Streptomycin plus 0.5 μg/ml of Puromycin.

#### **Cell Culture Protocol**

Note: OVCAR3 cells are derived from human material and thus the use of adequate safety precautions is recommended.

#### Cell Thawing

1. Swirl the vial of frozen cells for approximately 60 seconds in a 37°C water bath. As soon as the cells are thawed (it may be slightly faster or slower than 60 seconds), quickly transfer the entire content of the vial to a tube containing 10 ml of pre-warmed Thaw Medium 2.

Note: Leaving the cells in the water bath at 37°C for too long will result in rapid loss of viability.

- 2. Immediately spin down the cells at 300 *x g* for 5 minutes, remove the medium and resuspend the cells in 5 ml of pre-warmed Thaw Medium 2.
- 3. Transfer the resuspended cells to a T25 flask or T75 flask and incubate at 37°C in a 5% CO<sub>2</sub> incubator.
- 4. After 48-72 hours of culture, check for cell attachment and viability. Change medium to fresh Thaw Medium 2 and continue growing in a 5% CO2 incubator at 37°C until the cells are ready to passage.
- 5. Cells should be passaged before they reach 100% confluent. Switch to Growth Medium 2E for passage.

### Cell Passage

- 1. Aspirate the medium, wash the cells with phosphate buffered saline (PBS) without Ca<sup>2+</sup>/Mg<sup>2+</sup>, and detach the cells from the culture vessel with 0.25% Trypsin/EDTA following volumes recommended for the cell vessel being used.
- 2. Once the cells have detached, add Growth Medium 2E and transfer to a tube.



- 3. Spin down cells at 300 *x g* for 5 minutes, remove the medium and resuspend the cells in Growth Medium 2E.
- 4. Seed into new culture vessels at the recommended sub-cultivation ratio of 1:3 to 1:5 once or twice per week.

## Cell Freezing

- 1. Aspirate the medium, wash the cells with phosphate buffered saline (PBS) without Ca<sup>2+</sup>/Mg<sup>2+</sup> and detach the cells from the culture vessel with 0.25% Trypsin/EDTA.
- 2. Once the cells have detached, add Growth Medium 2E and count the cells.
- 3. Spin down the cells at 300 x g for 5 minutes, remove the medium and resuspend the cells in 4°C Cell Freezing Medium (BPS Bioscience #79796) at ~2  $\times$  10<sup>6</sup> cells/ml.
- 4. Dispense 1 ml of cell suspension into each cryogenic vial. Place the vials in an insulated container for slow cooling and store at -80°C overnight.
- 5. Transfer the vials to liquid nitrogen the next day for long term storage.



Note: It is recommended to expand the cells and freeze at least 10 vials at an early passage for future use.

#### **Validation Data**




Figure 1. eGFP expression and luciferase activity in the eGFP/Firefly Luciferase OVCAR3 Cell Line.

A. Luciferase activity in eGFP/Firefly Luciferase OVCAR3 cells and OVCAR3 parental cells was measured using One Step™ Luciferase Assay System (BPS Bioscience #60690). B. Fluorescent image of eGFP/Firefly Luciferase OVCAR3 cells.

Data shown is representative. For lot-specific information, please contact BPS Bioscience, Inc. at support@bpsbioscience.com.



# **License Disclosure**

Visit for the label license and other key information about this product.

# **Troubleshooting Guide**

Visit bpsbioscience.com/cell-line-faq for detailed troubleshooting instructions. For all further questions, please email support@bpsbioscience.com.

### **Related Products**

Products	Catalog #	Size
Firefly Luciferase Lentivirus	79692	500 μl x 2
Firefly Luciferase-eGFP Lentivirus	78741	500 μl x 2
eGFP/Firefly Luciferase U-87 MG Cell Line	78904	2 vials
eGFP/ Firefly Luciferase MM.1S Cell Line	78376	2 vials

Version 012524

