



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)

Data Sheet

Caspase 3

Human, recombinant, C-terminal His-tag

Catalog #: 80500

Lot #: 130226-G Conc.: 0.70 mg/ml

Formulated in: 40 mM Tris-HCl, pH 8.0, 110 mM NaCl, 2.2 mM KCl, 0.04% Tween 20, 20% glycerol and 3 mM DTT.

Stability: >6 months at -80°C

Reference(s):


1. Lee, D., *et al.*, *J Biol Chem.* 2000 May 26;**275(21)**:16007-14.
2. Suzuki, Y., *et al.*, *Proc Natl Acad Sci USA.* 2001 Jul 17;**98(15)**:866-7.

Description: Human caspase 3 (CASP3), also known as CPP32 and apopain, amino-acids 1 – 277 (end) (GenBank Accession No. NM_004346, var alpha) with C-terminal His-tag, expressed in an *E. coli* expression system. Procaspase-3 is self-cleaved into two subunits, MW = 17 kDa and 13 kDa, to form the active heterotetrameric complex.

Specific Activity: 6,784 pmol/min/μg
 Assay conditions: 10 mM HEPES, pH 7.4, 10 mM EDTA, 0.05% Chaps, 5 mM DTT, and 20 μM Caspase 3 substrate. Incubate for 30 minutes at room temperature. Fluorescence intensity is measured at exc380/em500.

Application: Useful for the study of enzyme kinetics, screening inhibitors, and selectivity profiling.

Quality Assurance




**4-20% SDS-PAGE
 Coomassie staining**

Lane 1:
 2 μg Caspase 3

Lane 2:
 Protein Markers

MW: 13 & 17 kDa

Purity: ≥99%



OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.829.3082** Fax **1.858.481.8694**

Or you can Email us at: info@bpsbioscience.com

Please visit our website at: www.bpsbioscience.com



6044 Cornerstone Court West, Suite E
San Diego, CA 92121
Tel: 1.858.829.3082
Fax: 1.858.481.8694
Email: info@bpsbioscience.com

Sequence:

MENTENSVDSKSIKNLEPKIIHGSESMDSGISLDNSYKMDYPEMGLCIIINNKNFHKSTG
MTRSRTDVAANLRETFRNLKYEVRNKNDLTREEIVELMRDVSKEDHSKRSSFVVCV
LLSHGEEGIIIFGTNGPVDLKKITNFFRGDRCSLTGKPKLFIIQACRGTELDGCIETDSG
VDDDMACHKIPVEADFLYAYSTAPGYYSWRNSKDGSWFIQSLCAMLKQYADKLEFM
HILTRVNRKVATEFESFSFDATFHAKKQIPCIVSMLTKELYFYH**HHHHHH**

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.829.3082** Fax **1.858.481.8694**
Or you can Email us at: info@bpsbioscience.com
Please visit our website at: www.bpsbioscience.com